



# Pricelist 2026

Q1 ZAR C



2026-Q1

ZAR C

## INVERTERS

|                                                                                                                        | 230V Sinewave                      |              | H x W x D       | ✓ | VE Bus | kg |            |
|------------------------------------------------------------------------------------------------------------------------|------------------------------------|--------------|-----------------|---|--------|----|------------|
| <br>Inverter 12/375 VE.Direct Schuko* | Inverter 12/250 VE.Direct Schuko*  | PIN121251200 | 86 x 165 x 260  | ✓ | 2.4    |    | ZAR 1,707  |
|                                                                                                                        | Inverter 12/375 VE.Direct Schuko*  | PIN121371200 | 86 x 165 x 260  | ✓ | 3.0    |    | ZAR 2,201  |
|                                                                                                                        | Inverter 12/500 VE.Direct Schuko*  | PIN121501200 | 86 x 172 x 275  | ✓ | 3.9    |    | ZAR 2,755  |
|                                                                                                                        | Inverter 12/800 VE.Direct Schuko*  | PIN121801200 | 105 x 216 x 305 | ✓ | 5.5    |    | ZAR 4,474  |
|                                                                                                                        | Inverter 12/1200 VE.Direct Schuko* | PIN122121210 | 117 x 232 x 362 | ✓ | 7.4    |    | ZAR 5,259  |
|                                                                                                                        | Inverter 12/1600 VE.Direct Schuko* | PIN122161200 | 117 x 231 x 395 | ✓ | 7.4    |    | ZAR 6,130  |
| <br>IEC Schuko                        | Inverter 24/250 VE.Direct Schuko*  | PIN241251200 | 86 x 165 x 260  | ✓ | 2.4    |    | ZAR 1,897  |
|                                                                                                                        | Inverter 24/375 VE.Direct Schuko*  | PIN241371200 | 86 x 165 x 260  | ✓ | 3.0    |    | ZAR 2,446  |
|                                                                                                                        | Inverter 24/500 VE.Direct Schuko*  | PIN241501200 | 86 x 172 x 275  | ✓ | 3.9    |    | ZAR 3,061  |
|                                                                                                                        | Inverter 24/800 VE.Direct Schuko*  | PIN241801200 | 105 x 216 x 305 | ✓ | 5.5    |    | ZAR 4,971  |
|                                                                                                                        | Inverter 24/1200 VE.Direct Schuko* | PIN242121200 | 117 x 232 x 327 | ✓ | 7.4    |    | ZAR 6,245  |
|                                                                                                                        |                                    |              |                 |   |        |    |            |
| <br>AU/NZ UK                          | Inverter C 12/1200                 | CIN121220000 | 375 x 214 x 110 | ✓ | ✓      | 10 | ZAR 7,689  |
|                                                                                                                        | Inverter C 12/1600                 | CIN122160000 | 375 x 214 x 110 | ✓ | ✓      | 10 | ZAR 10,820 |
|                                                                                                                        | Inverter 12/1600 Smart             | PIN122161000 | 485 x 219 x 125 | ✓ |        | 12 | ZAR 10,558 |
|                                                                                                                        | Inverter C 12/2000                 | CIN122200000 | 520 x 255 x 125 | ✓ | ✓      | 13 | ZAR 12,416 |
|                                                                                                                        | Inverter 12/2000 Smart             | PIN122201000 | 485 x 219 x 125 | ✓ |        | 13 | ZAR 11,958 |
|                                                                                                                        | Inverter 12/3000                   | PIN123020000 | 362 x 258 x 218 | ✓ | ✓      | 18 | ZAR 18,749 |
| <br>Inverter C                        | Inverter 12/3000 Smart             | PIN123000000 | 533 x 285 x 150 | ✓ |        | 18 | ZAR 16,089 |
|                                                                                                                        |                                    |              |                 |   |        |    |            |
|                                                                                                                        | Inverter C 24/1600                 | CIN242160000 | 375 x 214 x 110 | ✓ | ✓      | 10 | ZAR 10,820 |
|                                                                                                                        | Inverter 24/1600 Smart             | PIN242161000 | 485 x 219 x 125 | ✓ |        | 12 | ZAR 10,558 |
|                                                                                                                        | Inverter C 24/2000                 | CIN242200000 | 520 x 255 x 125 | ✓ | ✓      | 13 | ZAR 13,069 |
|                                                                                                                        | Inverter 24/2000 Smart             | PIN242201000 | 485 x 219 x 125 | ✓ |        | 13 | ZAR 12,587 |
| <br>Inverter 24/2000 Smart            | Inverter 24/3000                   | PIN243020000 | 362 x 258 x 218 | ✓ | ✓      | 18 | ZAR 18,749 |
|                                                                                                                        | Inverter 24/3000 Smart             | PIN243000000 | 485 x 285 x 150 | ✓ |        | 19 | ZAR 16,935 |
|                                                                                                                        | Inverter 24/5000                   | PIN245020000 | 444 x 328 x 240 | ✓ | ✓      | 28 | ZAR 32,697 |
|                                                                                                                        | Inverter 24/5000 Smart             | PIN245010000 | 595 x 295 x 160 | ✓ |        | 29 | ZAR 29,617 |
|                                                                                                                        |                                    |              |                 |   |        |    |            |
|                                                                                                                        |                                    |              |                 |   |        |    |            |
| <br>Inverter 24/5000                 | Inverter 48/250 VE.Direct Schuko*  | PIN481251200 | 86 x 165 x 260  | ✓ | 2.4    |    | ZAR 1,897  |
|                                                                                                                        | Inverter 48/375 VE.Direct Schuko*  | PIN481371200 | 86 x 165 x 260  | ✓ | 3.0    |    | ZAR 2,446  |
|                                                                                                                        | Inverter 48/500 VE.Direct Schuko*  | PIN481501200 | 86 x 172 x 275  | ✓ | 3.9    |    | ZAR 3,061  |
|                                                                                                                        | Inverter 48/800 VE.Direct Schuko*  | PIN481801200 | 105 x 216 x 305 | ✓ | 5.8    |    | ZAR 4,971  |
|                                                                                                                        | Inverter 48/1200 VE.Direct Schuko* | PIN482121200 | 117 x 232 x 327 | ✓ | 7.4    |    | ZAR 6,573  |
|                                                                                                                        | Inverter 48/2000 Smart             | PIN482201000 | 485 x 219 x 125 | ✓ | 13     |    | ZAR 9,176  |
|                                                                                                                        | Inverter 48/3000                   | PIN483020000 | 362 x 258 x 218 | ✓ | ✓      | 18 | ZAR 13,217 |
|                                                                                                                        | Inverter 48/3000 Smart             | PIN483000000 | 485 x 285 x 150 | ✓ |        | 19 | ZAR 13,032 |
|                                                                                                                        | Inverter 48/5000                   | PIN485020000 | 444 x 328 x 240 | ✓ | ✓      | 28 | ZAR 19,610 |
|                                                                                                                        | Inverter 48/5000 Smart             | PIN482500000 | 555 x 295 x 160 | ✓ |        | 28 | ZAR 19,530 |
|                                                                                                                        | Inverter RS 48/6000 230V Smart     | PIN482600000 | 425 x 440 x 125 | ✓ |        | 10 | ZAR 22,681 |
|                                                                                                                        |                                    |              |                 |   |        |    |            |

## INVERTERS WITH SOLAR CHARGE CONTROLLER

|                                                                                                                             |                                      |              |                 |   |   |     |            |
|-----------------------------------------------------------------------------------------------------------------------------|--------------------------------------|--------------|-----------------|---|---|-----|------------|
| <br>Inverter RS 48/6000 230V Smart Solar | Sun Inverter 12/250-15 IEC           | SIN121251100 | 86 x 165 x 260  | ✓ | ✓ | 2.7 | ZAR 2,103  |
|                                                                                                                             | Sun Inverter 24/250-10 IEC           | SIN241251100 | 86 x 165 x 260  | ✓ | ✓ | 2.7 | ZAR 2,103  |
|                                                                                                                             | Inverter RS 48/6000 230V Smart Solar | PIN482601000 | 425 x 440 x 125 | ✓ |   | 11  | ZAR 31,427 |

\* All 12V, 24V and 48V inverters with Schuko outlet are also available with the following outlets:  
IEC (male plug included), UK, AU/NZ (see appendix for article numbers)

2026-Q1

ZAR C

## INVERTER/CHARGERS

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                    |              | H x W x D       | CE | VE Bus | kg  |            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|--------------|-----------------|----|--------|-----|------------|
| <br>MultiPlus 12/500/20-16<br>MultiPlus 12/800/35-16<br>MultiPlus 12/1200/50-16<br>MultiPlus 12/1600/70-16<br>MultiPlus 12/2000/80-32<br>MultiPlus C 12/800/35-16<br>MultiPlus C 12/1200/50-16<br>MultiPlus C 12/1600/70-16<br>MultiPlus C 12/2000/80-30<br>MultiPlus 12/3000/120-16<br>MultiPlus 12/3000/120-50<br>MultiPlus-II 12/3000/120-32<br>MultiPlus-II 12/4k/160-32<br>MultiPlus-II 12/5000/220-50 | 230V Sinewave                      |              |                 |    |        |     |            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 12/500/20-16             | PMP121500000 | 311 x 182 x 100 | ✓  | ✓      | 4.4 | ZAR 6,060  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 12/800/35-16             | PMP121800000 | 360 x 240 x 100 | ✓  | ✓      | 6.4 | ZAR 7,811  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 12/1200/50-16            | PMP122120000 | 406 x 250 x 100 | ✓  | ✓      | 8.2 | ZAR 9,562  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 12/1600/70-16            | PMP122160000 | 465 x 270 x 120 | ✓  | ✓      | 10  | ZAR 12,278 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 12/2000/80-32            | PMP122200000 | 506 x 234 x 146 | ✓  | ✓      | 15  | ZAR 18,130 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus C 12/800/35-16           | CMP121800000 | 375 x 214 x 110 | ✓  | ✓      | 10  | ZAR 9,744  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus C 12/1200/50-16          | CMP122120000 | 375 x 214 x 110 | ✓  | ✓      | 10  | ZAR 13,779 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus C 12/1600/70-16          | CMP122160000 | 375 x 214 x 110 | ✓  | ✓      | 10  | ZAR 15,447 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus C 12/2000/80-30          | CMP122200000 | 520 x 255 x 125 | ✓  | ✓      | 13  | ZAR 18,845 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 12/3000/120-16           | PMP122300001 | 362 x 258 x 218 | ✓  | ✓      | 18  | ZAR 24,521 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 12/3000/120-50           | PMP123021010 | 362 x 258 x 218 | ✓  | ✓      | 18  | ZAR 26,463 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus-II 12/3000/120-32        | PMP122305010 | 546 x 275 x 147 | ✓  | ✓      | 19  | ZAR 22,766 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus-II 12/4k/160-32          | PMP122405010 | 595 x 275 x 160 | ★  | ✓      | 23  | ZAR 25,226 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus-II 12/5000/220-50        | PMP122505012 | 702 x 345 x 152 | ✓  | ✓      | 30  | ZAR 36,246 |
| <br>MultiPlus Compact                                                                                                                                                                                                                                                                                                                                                                                       | Quattro 12/3000/120-50/50          | QUA123020010 | 362 x 258 x 218 | ✓  | ✓      | 19  | ZAR 33,751 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Quattro 12/5000/220-100/100        | QUA125020000 | 470 x 350 x 280 | ✓  | ✓      | 34  | ZAR 49,793 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 24/500/10-16             | PMP241500000 | 311 x 182 x 100 | ✓  | ✓      | 4.4 | ZAR 6,060  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 24/800/16-16             | PMP241800000 | 360 x 240 x 100 | ✓  | ✓      | 6.4 | ZAR 7,811  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 24/1200/25-16            | PMP242120000 | 406 x 250 x 100 | ✓  | ✓      | 8.2 | ZAR 9,562  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 24/1600/40-16            | PMP242160000 | 465 x 270 x 120 | ✓  | ✓      | 10  | ZAR 13,642 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 24/2000/50-32            | PMP242200000 | 506 x 234 x 146 | ✓  | ✓      | 15  | ZAR 16,071 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus C 24/1600/40-16          | CMP242160000 | 375 x 214 x 110 | ✓  | ✓      | 10  | ZAR 14,675 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus C 24/2000/50-30          | CMP242200000 | 520 x 255 x 125 | ✓  | ✓      | 13  | ZAR 18,793 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 24/3000/70-16            | PMP242300001 | 362 x 258 x 218 | ✓  | ✓      | 18  | ZAR 23,230 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 24/3000/70-50            | PMP242301011 | 362 x 258 x 218 | ✓  | ✓      | 18  | ZAR 25,071 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus-II 24/3000/70-32         | PMP242305010 | 499 x 268 x 141 | ✓  | ✓      | 19  | ZAR 17,302 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus-II 24/3000/70-32 GX      | PMP242306000 | 499 x 268 x 141 | ✓  | ✓      | 20  | ZAR 18,778 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 24/5000/120-100          | PMP245021010 | 444 x 328 x 240 | ✓  | ✓      | 30  | ZAR 36,860 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus-II 24/5000/120-50        | PMP242505010 | 607 x 330 x 149 | ✓  | ✓      | 30  | ZAR 34,339 |
| <br>MultiPlus                                                                                                                                                                                                                                                                                                                                                                                               | Quattro 24/3000/70-50/50           | QUA243020010 | 362 x 258 x 218 | ✓  | ✓      | 19  | ZAR 30,674 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Quattro 24/5000/120-100/100        | QUA245021010 | 444 x 328 x 240 | ✓  | ✓      | 30  | ZAR 42,033 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Quattro-II 24/5000/120-50/50       | QUA242505010 | 607 x 330 x 149 | ✓  | ✓      | 31  | ZAR 37,205 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Quattro 24/8000/200-100/100        | QUA248020010 | 470 x 350 x 280 | ✓  | ✓      | 41  | ZAR 53,052 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 48/500/6-16              | PMP481500000 | 311 x 182 x 100 | ✓  | ✓      | 4.4 | ZAR 5,074  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 48/800/9-16              | PMP481800000 | 360 x 240 x 100 | ✓  | ✓      | 6.4 | ZAR 5,972  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 48/1200/13-16            | PMP482120000 | 406 x 250 x 100 | ✓  | ✓      | 8.2 | ZAR 8,342  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 48/1600/20-16            | PMP482160000 | 465 x 270 x 120 | ✓  | ✓      | 10  | ZAR 9,467  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 48/2000/25-32            | PMP482200000 | 506 x 234 x 146 | ✓  | ✓      | 15  | ZAR 10,563 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 48/3000/35-16            | PMP483020001 | 362 x 258 x 218 | ✓  | ✓      | 18  | ZAR 16,096 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 48/3000/35-50            | PMP483021010 | 362 x 258 x 218 | ✓  | ✓      | 18  | ZAR 16,801 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 48/5000/70-100           | PMP485021010 | 444 x 328 x 240 | ✓  | ✓      | 30  | ZAR 22,791 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus-II 48/3000/35-32         | PMP482305010 | 499 x 268 x 141 | ✓  | ✓      | 19  | ZAR 11,484 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus-II 48/3000/35-32 GX      | PMP482306000 | 499 x 268 x 141 | ✓  | ✓      | 20  | ZAR 13,083 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus-II 48/4k/55-32           | PMP482405012 | 590 x 275 x 149 | ✓  | ✓      | 19  | ZAR 14,142 |
| <br>MultiPlus-II 48/3000/35-32                                                                                                                                                                                                                                                                                                                                                                            | MultiPlus-II 48/4k/55-32 GX        | PMP482406000 | 590 x 275 x 149 | ✓  | ✓      | 21  | ZAR 16,637 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus-II 48/5000/70-50         | PMP482505012 | 565 x 320 x 149 | ✓  | ✓      | 30  | ZAR 14,708 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus-II 48/5000/70-50 GX      | PMP482506000 | 565 x 320 x 149 | ✓  | ✓      | 31  | ZAR 18,130 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus-II 48/6k/5/100-50        | PMP482605012 | 644 x 320 x 150 | ✓  | ✓      | 30  | ZAR 17,968 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus-II 48/6k/5/100-50 GX     | PMP482606000 | 644 x 320 x 150 | ✓  | ✓      | 29  | ZAR 21,366 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Multi RS Solar 48/6000/100-450/100 | PMR482602020 | 425 x 440 x 125 | ✓  | ✓      | 12  | ZAR 30,070 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus-II 48/8000/110-100       | PMP482805000 | 642 x 363 x 206 | ✓  | ✓      | 42  | ZAR 28,521 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus-II 48/10000/140-100      | PMP483105000 | 677 x 363 x 206 | ✓  | ✓      | 49  | ZAR 34,067 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus-II 48/15000/200-100      | PMP483150000 | 810 x 404 x 210 | ✓  | ✓      | 75  | ZAR 47,536 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Quattro 48/5000/70-100/100         | QUA485021010 | 444 x 328 x 240 | ✓  | ✓      | 29  | ZAR 32,438 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Quattro-II 48/5000/70-50/50        | QUA482504010 | 565 x 320 x 149 | ✓  | ✓      | 31  | ZAR 23,048 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Quattro 48/8000/110-100/100        | QUA488024000 | 470 x 350 x 280 | ✓  | ✓      | 41  | ZAR 38,641 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Quattro 48/10000/140-100/100       | QUA481030010 | 470 x 350 x 280 | ✓  | ✓      | 45  | ZAR 46,167 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Quattro 48/15000/200-100/100       | QUA483150000 | 572 x 488 x 344 | ✓  | ✓      | 72  | ZAR 60,652 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MultiPlus 48/20k/250-100           | PMC483200400 | 572 x 488 x 344 | ★  | ✓      | 70  | ZAR 56,042 |
| <br>Quattro 48/15000/200                                                                                                                                                                                                                                                                                                                                                                                  | EasyPlus C 12/1600/70-16           | CEP122160000 | 510 x 214 x 110 | ✓  | ✓      | 11  | ZAR 16,023 |

## INVERTER/CHARGERS OPTIMISED FOR SELF CONSUMPTION / HOME STORAGE

|                                                                                                        |                                            |              |                 |   |   |    |            |
|--------------------------------------------------------------------------------------------------------|--------------------------------------------|--------------|-----------------|---|---|----|------------|
| <br>EasySolar-II GX | EasySolar 12/1600/70-16 MPPT 100/50        | CEP122161000 | 745 x 214 x 110 | ✓ | ✓ | 12 | ZAR 20,964 |
|                                                                                                        | EasySolar 24/1600/40-16 MPPT 100/50        | CEP242161010 | 745 x 214 x 110 | ✓ | ✓ | 12 | ZAR 20,964 |
|                                                                                                        | EasySolar-II 24/3000/70-32 MPPT 250/70 GX  | PMP242307010 | 499 x 268 x 237 | ✓ | ✓ | 26 | ZAR 23,509 |
|                                                                                                        | EasySolar-II 48/3000/35-32 MPPT 250/70 GX  | PMP482307010 | 499 x 268 x 237 | ✓ | ✓ | 26 | ZAR 23,509 |
|                                                                                                        | EasySolar-II 48/5000/70-50 MPPT 250/100 GX | PMP482507010 | 604 x 323 x 253 | ✓ | ✓ | 39 | ZAR 29,837 |
|                                                                                                        | VE.Bus Smart dongle                        | ASS030537010 |                 | ✓ |   |    | ZAR 1,839  |



## INVERTERS 120V



Inverter 12/375 VE.Direct



NEMA 5-15R



NEMA GFCI



Inverter 24/3000



MultiPlus-II 2x120V



Quattro

|                                               |              |                 |   |    |     |                   |
|-----------------------------------------------|--------------|-----------------|---|----|-----|-------------------|
| Inverter 12/250 VE.Direct NEMA 5-15R          | PIN122510500 | 86 x 165 x 260  | ✓ | VE | 2.4 | ZAR 1,707         |
| Inverter 12/375 VE.Direct NEMA 5-15R          | PIN123750500 | 86 x 165 x 260  | ✓ |    | 3.0 | ZAR 2,085         |
| Inverter 12/500 VE.Direct NEMA 5-15R          | PIN125010500 | 86 x 172 x 275  | ✓ |    | 3.9 | ZAR 2,610         |
| Inverter 12/800 VE.Direct NEMA 5-15R          | PIN121800500 | 105 x 216 x 305 | ✓ |    | 5.5 | ZAR 4,462         |
| Inverter 12/1200 VE.Direct NEMA 5-15R         | PIN122122500 | 117 x 232 x 362 | ✓ |    | 8.5 | ZAR 5,244         |
| Inverter 12/1600 VE.Direct NEMA 5-15R         | PIN122161500 | 117 x 232 x 395 | ✓ | ★  | 8.9 | January ZAR 6,130 |
| Inverter 12/250 VE.Direct NEMA GFCI (UL 458)  | PIN122510510 | 86 x 165 x 260  | ✓ |    | 2.4 | ZAR 1,856         |
| Inverter 12/375 VE.Direct NEMA GFCI (UL 458)  | PIN123750510 | 86 x 165 x 260  | ✓ |    | 3.0 | ZAR 2,254         |
| Inverter 12/500 VE.Direct NEMA GFCI (UL 458)  | PIN125010510 | 86 x 172 x 275  | ✓ |    | 3.9 | ZAR 2,820         |
| Inverter 12/800 VE.Direct NEMA GFCI (UL 458)  | PIN121800510 | 105 x 216 x 305 | ✓ |    | 5.5 | ZAR 4,602         |
| Inverter 12/1200 VE.Direct NEMA GFCI (UL 458) | PIN122122510 | 117 x 232 x 362 | ✓ |    | 8.5 | ZAR 5,384         |
| Inverter 24/250 VE.Direct NEMA 5-15R          | PIN242510500 | 86 x 165 x 260  | ✓ |    | 2.4 | ZAR 1,897         |
| Inverter 24/375 VE.Direct NEMA 5-15R          | PIN243750500 | 86 x 165 x 260  | ✓ |    | 3.0 | ZAR 2,317         |
| Inverter 24/500 VE.Direct NEMA 5-15R          | PIN245010500 | 86 x 172 x 275  | ✓ |    | 3.9 | ZAR 2,900         |
| Inverter 24/800 VE.Direct NEMA 5-15R          | PIN241800500 | 105 x 216 x 305 | ✓ |    | 5.5 | ZAR 4,016         |
| Inverter 24/1200 VE.Direct NEMA 5-15R         | PIN242122500 | 117 x 232 x 327 | ✓ |    | 7.4 | ZAR 6,227         |
| Inverter 24/1600 VE.Direct NEMA 5-15R         | PIN242161500 | 117 x 232 x 327 | ✓ | ★  | 8.0 | March ZAR 6,555   |
| Inverter 24/250 VE.Direct NEMA GFCI (UL 458)  | PIN242510510 | 86 x 165 x 260  | ✓ |    | 2.4 | ZAR 1,856         |
| Inverter 24/500 VE.Direct NEMA GFCI (UL 458)  | PIN245010510 | 86 x 172 x 275  | ✓ |    | 3.9 | ZAR 2,820         |
| Inverter 24/800 VE.Direct NEMA GFCI (UL 458)  | PIN241800510 | 105 x 216 x 305 | ✓ |    | 5.5 | ZAR 3,901         |
| Inverter 24/1200 VE.Direct NEMA GFCI (UL 458) | PIN242122510 | 117 x 232 x 327 | ✓ |    | 7.4 | ZAR 6,462         |
| Inverter 48/250 VE.Direct NEMA 5-15R          | PIN482510500 | 86 x 165 x 260  | ✓ |    | 2.4 | ZAR 1,897         |
| Inverter 48/375 VE.Direct NEMA 5-15R          | PIN483750500 | 86 x 165 x 260  | ✓ |    | 3.0 | ZAR 2,317         |
| Inverter 48/500 VE.Direct NEMA 5-15R          | PIN485010500 | 86 x 172 x 275  | ✓ |    | 3.9 | ZAR 2,900         |
| Inverter 48/800 VE.Direct NEMA 5-15R          | PIN481800500 | 105 x 216 x 305 | ✓ |    | 5.5 | ZAR 4,958         |
| Inverter 48/1200 VE.Direct NEMA 5-15R         | PIN482122500 | 117 x 232 x 327 | ✓ |    | 7.4 | ZAR 6,227         |
| Inverter 48/1200 VE.Direct NEMA GFCI (UL 458) | PIN482122510 | 117 x 232 x 327 | ✓ |    | 7.4 | ZAR 6,462         |
| Inverter 12/3000                              | PIN123020100 | 362 x 258 x 218 | ✓ | ✓  | 18  | ZAR 20,446        |
| Inverter 24/3000                              | PIN243020100 | 362 x 258 x 218 | ✓ | ✓  | 18  | ZAR 20,446        |

## INVERTER/CHARGERS 120V

|                                                 |              |                 |   |   |     |            |
|-------------------------------------------------|--------------|-----------------|---|---|-----|------------|
| MultiPlus 12/500/20-16 120V VE.Bus              | PMP121500100 | 311 x 182 x 100 | ✓ | ✓ | 4.4 | ZAR 5,469  |
| MultiPlus 12/800/35-16                          | PMP121800100 | 360 x 240 x 100 | ✓ | ✓ | 6.5 | ZAR 7,049  |
| MultiPlus 12/1200/50-16 120V VE.Bus             | PMP122120100 | 406 x 250 x 100 | ✓ | ✓ | 8.2 | ZAR 8,630  |
| MultiPlus C 12/2000/80-50 120V (UL 458)         | CMP122200102 | 520 x 255 x 125 | ✓ | ✓ | 13  | ZAR 17,742 |
| MultiPlus 12/2000/80-50 120V (UL 458)           | PMP122200102 | 506 x 234 x 147 | ✓ | ✓ | 15  | ZAR 16,917 |
| MultiPlus 12/3000/120-50 120V (UL 1741 and 458) | PMP122301102 | 362 x 258 x 218 | ✓ | ✓ | 18  | ZAR 22,933 |
| MultiPlus-II 12/3000/120-50 120V (UL458)        | PMP122305122 | 578 x 277 x 148 | ✓ | ✓ | 19  | ZAR 17,835 |
| MultiPlus-II 12/3000/120-50 2x120V (UL 458)     | PMP122305102 | 578 x 277 x 148 | ✓ | ✓ | 22  | ZAR 19,273 |
| Quattro-II 12/3000/120-50/50 2x120V             | QUA122305130 | 579 x 319 x 168 | ✓ |   | 24  | ZAR 24,392 |
| Quattro 12/5000/220-100/100 120V                | QUA125021100 | 470 x 350 x 280 | ✓ | ✓ | 34  | ZAR 50,199 |
| Quattro 12/5000/220-100/100 120V (UL 458)       | QUA125021102 | 470 x 350 x 280 | ✓ | ✓ | 36  | ZAR 55,632 |
| MultiPlus C 24/2000/50-50 120V                  | CMP242200100 | 520 x 255 x 125 | ✓ | ✓ | 13  | ZAR 15,170 |
| MultiPlus 24/2000/50-50 120V (UL 458)           | PMP242200102 | 506 x 234 x 147 | ✓ | ✓ | 15  | ZAR 15,416 |
| MultiPlus 24/3000/70-50 120V (UL 1741 and 458)  | PMP242301102 | 362 x 258 x 218 | ✓ | ✓ | 18  | ZAR 23,258 |
| MultiPlus-II 24/3000/70-50 120V                 | PMP242305100 | 536 x 277 x 147 | ✓ | ✓ | 19  | ZAR 17,513 |
| MultiPlus-II 24/3000/70-50 120V (UL 485)        | PMP242305102 | 536 x 277 x 147 | ✓ | ✓ | 19  | ZAR 19,559 |
| MultiPlus-II 24/3000/70-50 2x120V               | PMP242305130 | 536 x 277 x 147 | ✓ | ✓ | 19  | ZAR 21,016 |
| MultiPlus-II 24/3000/70-50 2x120V (UL458)       | PMP242305132 | 536 x 277 x 147 | ✓ | ✓ | 19  | ZAR 22,479 |
| MultiPlus-II 24/5000/120-95 120V                | PMP242505110 | 444 x 328 x 240 | ✓ | ✓ | 32  | ZAR 31,806 |
| Quattro-II 24/3000/70-50/50 2x120V              | QUA242305130 | 579 x 319 x 168 | ✓ |   | 23  | ZAR 23,173 |
| Quattro 24/5000/120-100/100 120V                | QUA245023110 | 444 x 328 x 240 | ✓ | ✓ | 30  | ZAR 44,177 |
| MultiPlus 48/2000/25-50 120V                    | PMP482200100 | 506 x 234 x 147 | ✓ | ✓ | 15  | ZAR 17,457 |
| MultiPlus-II 48/3000/35-50 120V                 | PMP482305100 | 536 x 277 x 147 | ✓ | ✓ | 20  | ZAR 18,389 |
| MultiPlus-II 48/3000/35-50 120V (UL 1741)       | PMP482305102 | 572 x 277 x 147 | ✓ | ✓ | 19  | ZAR 20,697 |
| MultiPlus-II 48/5000/70-95 120V                 | PMP482505110 | 676 x 330 x 164 | ✓ | ✓ | 32  | ZAR 25,834 |
| Quattro 48/3000/35-50/50 120V                   | QUA483021100 | 362 x 258 x 218 | ✓ | ✓ | 18  | ZAR 24,607 |
| Quattro 48/5000/70-100/100 120V                 | QUA485021100 | 444 x 328 x 240 | ✓ | ✓ | 30  | ZAR 28,441 |
| Quattro 48/5000/70-100/100 120V UL              | QUA482501102 | 444 x 328 x 240 | ✓ | ✓ | 30  | ZAR 31,611 |
| Quattro 48/10000/140-100/100 120V               | QUA483100100 | 572 x 488 x 344 | ✓ | ✓ | 58  | ZAR 46,032 |
| Quattro 48/10000/140-100/100 120V UL            | QUA483100102 | 572 x 488 x 344 | ✓ | ✓ | 58  | ZAR 48,997 |
| Quattro 48/15000/200-100/100 277V               | QUA483150100 | 572 x 488 x 344 | ✓ | ✓ | 72  | ZAR 60,647 |

## INVERTER/CHARGERS 120V 50/60Hz

|                                                  |              |                 |   |   |    |            |
|--------------------------------------------------|--------------|-----------------|---|---|----|------------|
| MultiPlus-II 48/5000/70-95 120V 50/60Hz          | PMP482505300 | 676 x 330 x 164 | ✓ | ✓ | 32 | ZAR 28,625 |
| Quattro 48/10000/140-100/100 120V VE.Bus 50/60Hz | QUA483100300 | 572 x 488 x 344 | ✓ | ✓ | 58 | ZAR 54,291 |
| VE.Bus Smart dongle                              | ASS030537010 |                 | ✓ |   |    | ZAR 1,839  |

| BLUE SMART BATTERY CHARGERS IP65 230V                                                                                                            |                                                                         |               |                 |   |     |           |
|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|---------------|-----------------|---|-----|-----------|
| 180-265VAC/45-65Hz or 250-350VDC                                                                                                                 |                                                                         | IP65          | H x W x D       | € | kg  |           |
| 1 output, natural convection cooling. With CEE 7/17 Plug (Schuko unearthed), CEE 7/16 Europlug, BS 1363 plug (UK) or AS/NZS 3112 plug (AU/NZ)    |                                                                         |               |                 |   |     |           |
| (includes DC connector with clamps and M8 eyelets)                                                                                               |                                                                         |               |                 |   |     |           |
|                                                                 | Blue Smart IP65 Charger 6V/12V-1.1 + DC connector                       | BPC120134034R | 38 x 64 x 153   | ✓ | 0.4 | ZAR 1,040 |
|                                                                                                                                                  | Blue Smart IP65s Charger 12/4 + DC connector                            | BPC120433064R | 45 x 81 x 182   | ✓ | 0.6 | ZAR 1,497 |
|                                                                                                                                                  | Blue Smart IP65s Charger 12/5 + DC connector                            | BPC120533064R | 45 x 81 x 182   | ✓ | 0.6 | ZAR 1,664 |
|                                                                                                                                                  | Blue Smart IP65 Charger 12/7 + DC connector                             | BPC120731064R | 47 x 95 x 190   | ✓ | 0.8 | ZAR 1,967 |
|                                                                                                                                                  | Blue Smart IP65 Charger 12/10 + DC connector                            | BPC121031064R | 60 x 105 x 190  | ✓ | 0.9 | ZAR 2,327 |
|                                                                                                                                                  | Blue Smart IP65 Charger 12/15 + DC connector                            | BPC121531064R | 60 x 105 x 190  | ✓ | 0.9 | ZAR 2,688 |
|                                                                                                                                                  | Blue Smart IP65 Charger 12/25 + DC connector                            | BPC122531064  | 75 x 140 x 240  | ✓ | 1.9 | ZAR 3,762 |
|                                                                                                                                                  | Blue Smart IP65 Charger 24/5 + DC connector                             | BPC240531064R | 47 x 95 x 190   | ✓ | 0.8 | ZAR 2,180 |
|                                                                                                                                                  | Blue Smart IP65 Charger 24/8 + DC connector                             | BPC240831064R | 60 x 105 x 190  | ✓ | 0.9 | ZAR 2,688 |
|                                                                                                                                                  | Blue Smart IP65 Charger 24/13 + DC connector                            | BPC241331064  | 75 x 140 x 240  | ✓ | 1.9 | ZAR 3,762 |
|                                                                 | M6 eyelet connector (with 30A ATO fuse)                                 | BPC900100014  |                 | ✓ |     | ZAR 150   |
|                                                                                                                                                  | M8 eyelet connector (with 30A ATO fuse)                                 | BPC900110014  |                 | ✓ |     | ZAR 150   |
|                                                                                                                                                  | MagCode Power Clip 12V (max. 15A)                                       | BPC900500014  |                 | ✓ |     | ZAR 782   |
|                                                                                                                                                  | MagCode Power Port 12V (max. 15A)                                       | BPC900520014  |                 | ✓ |     | ZAR 782   |
|                                                                                                                                                  | 2 meter extension cable                                                 | BPC900200014  |                 | ✓ |     | ZAR 183   |
|                                                                                                                                                  | 2 meter extension cable 25A                                             | BPC900250014  |                 | ✓ |     | ZAR 315   |
|                                                                                                                                                  | 12 Volt plug (cigarette plug with 16A fuse)                             | BPC900300014  |                 | ✓ |     | ZAR 250   |
|                                                                                                                                                  | Clamp connector (with 30A ATO fuse)                                     | BPC900400014  |                 | ✓ |     | ZAR 233   |
|                                                                                                                                                  | Battery Indicator Panel (M8 eyelet / 30A ATO fuse)                      | BPC900110114  |                 | ✓ |     | ZAR 416   |
|                                                                                                                                                  | Battery Indicator Eyelet (M8 eyelet / 30A ATO fuse)                     | BPC900120114  |                 | ✓ |     | ZAR 250   |
|                                                                 | Rubber bumper for IP65 Charger 12/10, 12/15, 24/8                       | BPC920100100  |                 | ✓ |     | ZAR 133   |
|                                                                                                                                                  | Rubber bumper for IP65 Charger 12/25, 24/13                             | BPC920100110  |                 | ✓ |     | ZAR 200   |
|                                                                                                                                                  | Wall mount for IP65 Charger 12/10, 12/15, 24/8                          | BPC920100200  |                 | ✓ |     | ZAR 100   |
|                                                                                                                                                  | Wall Mount for IP65 Charger 12/25, 24/13                                | BPC920100210  |                 | ✓ |     | ZAR 175   |
|                                                                                                                                                  | Carry case for IP65 Charger & accessories                               | BPC940100100  | 295 x 350 x 105 | ✓ |     | ZAR 532   |
|                                                                                                                                                  | Carry case for IP65 Ch. 12/25, 24/13 & accessories                      | BPC940100200  | 345 x 520 x 130 | ✓ |     | ZAR 799   |
|                                                                                                                                                  |                                                                         |               |                 |   |     |           |
|                                                                                                                                                  |                                                                         |               |                 |   |     |           |
|                                                                                                                                                  |                                                                         |               |                 |   |     |           |
|                                                                                                                                                  |                                                                         |               |                 |   |     |           |
|                                                                |                                                                         |               |                 |   |     |           |
|                                                                                                                                                  |                                                                         |               |                 |   |     |           |
|                                                                                                                                                  |                                                                         |               |                 |   |     |           |
|                                                                                                                                                  |                                                                         |               |                 |   |     |           |
|                                                                                                                                                  |                                                                         |               |                 |   |     |           |
|                                                                                                                                                  |                                                                         |               |                 |   |     |           |
|                                                                                                                                                  |                                                                         |               |                 |   |     |           |
|                                                                                                                                                  |                                                                         |               |                 |   |     |           |
|                                                                                                                                                  |                                                                         |               |                 |   |     |           |
|                                                                                                                                                  |                                                                         |               |                 |   |     |           |
| BATTERY CHARGERS IP22 230V                                                                                                                       |                                                                         |               |                 |   |     |           |
| 180-265VAC/45-65Hz or 250-350VDC                                                                                                                 |                                                                         | IP22          |                 |   |     |           |
| 1 output or 3 outputs, fan assisted cooling. With CEE 7/7 Plug (Schuko), BS 1363 plug (UK) or AS/NZS 3112 plug (AU/NZ). VE.Smart Network enabled |                                                                         |               |                 |   |     |           |
|                                                               | Blue Smart IP22 Charger 12/15 (1)                                       | BPC121542002  | 235 x 108 x 65  | ✓ | 1.4 | ZAR 2,490 |
|                                                                                                                                                  | Blue Smart IP22 Charger 12/15 (3)                                       | BPC121544002  | 235 x 108 x 65  | ✓ | 1.4 | ZAR 2,589 |
|                                                                                                                                                  | Blue Smart IP22 Charger 12/20 (1)                                       | BPC122042002  | 235 x 108 x 65  | ✓ | 1.4 | ZAR 2,689 |
|                                                                                                                                                  | Blue Smart IP22 Charger 12/20 (3)                                       | BPC122044002  | 235 x 108 x 65  | ✓ | 1.4 | ZAR 3,030 |
|                                                                                                                                                  | Blue Smart IP22 Charger 12/30 (1)                                       | BPC123047002  | 235 x 108 x 65  | ✓ | 1.4 | ZAR 3,229 |
|                                                                                                                                                  | Blue Smart IP22 Charger 12/30 (3)                                       | BPC123048002  | 235 x 108 x 65  | ✓ | 1.4 | ZAR 3,642 |
|                                                                                                                                                  | Blue Smart IP22 Charger 24/8 (1)                                        | BPC240842002  | 235 x 108 x 65  | ✓ | 1.4 | ZAR 2,490 |
|                                                                                                                                                  | Blue Smart IP22 Charger 24/12 (1)                                       | BPC241242002  | 235 x 108 x 65  | ✓ | 1.4 | ZAR 2,775 |
|                                                                                                                                                  | Blue Smart IP22 Charger 24/16 (1)                                       | BPC241647002  | 235 x 108 x 65  | ✓ | 1.4 | ZAR 3,311 |
|                                                                                                                                                  | Blue Smart IP22 Charger 24/16 (3)                                       | BPC241648002  | 235 x 108 x 65  | ✓ | 1.4 | ZAR 3,752 |
| BATTERY CHARGERS IP67 230V                                                                                                                       |                                                                         |               |                 |   |     |           |
| 180-265VAC/45-65Hz or 250-350VDC                                                                                                                 |                                                                         | IP67          |                 |   |     |           |
| 1 output, natural convection cooling. With CEE 7/7 Plug (Schuko), BS 1363 plug (UK) or AS/NZS 3112 plug (AU/NZ)                                  |                                                                         |               |                 |   |     |           |
|                                                               | Blue Smart IP67 Charger 12/7 (1)                                        | BPC120713006  | 85 x 211 x 60   | ✓ | 1.8 | ZAR 1,846 |
|                                                                                                                                                  | Blue Smart IP67 Charger 12/13 (1)                                       | BPC121313006  | 85 x 211 x 60   | ✓ | 1.8 | ZAR 2,446 |
|                                                                                                                                                  | Blue Smart IP67 Charger 12/17 (1)                                       | BPC121713006  | 99 x 219 x 65   | ✓ | 2.4 | ZAR 2,695 |
|                                                                                                                                                  | Blue Smart IP67 Charger 12/25 (1)                                       | BPC122547006  | 99 x 219 x 65   | ✓ | 2.4 | ZAR 3,153 |
|                                                                                                                                                  | Blue Smart IP67 Charger 12/25 (1+Si)                                    | BPC122514006  | 99 x 219 x 65   | ✓ | 2.4 | ZAR 3,679 |
|                                                                                                                                                  | Blue Smart IP67 Charger 24/5 (1)                                        | BPC240513006  | 85 x 211 x 60   | ✓ | 1.8 | ZAR 2,063 |
|                                                                                                                                                  | Blue Smart IP67 Charger 24/8 (1)                                        | BPC240813006  | 99 x 219 x 65   | ✓ | 2.4 | ZAR 2,695 |
|                                                                                                                                                  | Blue Smart IP67 Charger 24/12 (1)                                       | BPC241247006  | 99 x 219 x 65   | ✓ | 2.4 | ZAR 3,153 |
|                                                                                                                                                  | Blue Smart IP67 Charger 24/12 (1+Si)                                    | BPC241214006  | 99 x 219 x 65   | ✓ | 2.4 | ZAR 3,679 |
|                                                                                                                                                  | See appendix for availability of models with CEE 7/16, UK or AU/NZ plug |               |                 |   |     |           |





2026-Q1

Article number with suffix (R): also available in retail packaging  
Article number with suffix R: available in retail packaging only

ZAR C

#### BLUE SMART BATTERY CHARGERS IP65 120V

1 output, natural convection cooling. With NEMA 1-15P plug



|                                                   |               | H x W x D      | ✓ | kg  |           |
|---------------------------------------------------|---------------|----------------|---|-----|-----------|
| Blue Smart IP65 Charger 6V/12V-1.1 + DC connector | BPC120134124R | 38 x 64 x 153  | ✓ | 0.4 | ZAR 1,040 |
| Blue Smart IP65 Charger 12/5 + DC connector       | BPC120531104R | 47 x 95 x 190  | ✓ | 0.8 | ZAR 1,664 |
| Blue Smart IP65 Charger 12/7 + DC connector       | BPC120731104R | 47 x 95 x 190  | ✓ | 0.8 | ZAR 2,180 |
| Blue Smart IP65 Charger 12/10 + DC connector      | BPC121031104R | 60 x 105 x 190 | ✓ | 0.9 | ZAR 2,579 |
| Blue Smart IP65 Charger 12/15 + DC connector      | BPC121531104R | 60 x 105 x 190 | ✓ | 0.9 | ZAR 2,829 |
| Blue Smart IP65 Charger 12/25 + DC connector      | BPC122531124  | 75 x 140 x 240 | ✓ | 1.9 | ZAR 3,960 |
| Blue Smart IP65 Charger 24/5 + DC connector       | BPC240531104R | 47 x 95 x 190  | ✓ | 0.8 | ZAR 2,180 |
| Blue Smart IP65 Charger 24/8 + DC connector       | BPC240831104R | 60 x 105 x 190 | ✓ | 0.9 | ZAR 2,829 |
| Blue Smart IP65 Charger 24/13 + DC connector      | BPC241331124  | 75 x 140 x 240 | ✓ | 1.9 | ZAR 3,960 |

Accessories for the Blue Smart IP65 Charger see next page

#### BLUE SMART BATTERY CHARGERS IP67 120V, waterproof

1 output. With NEMA 5-15P plug



Blue Smart IP67 Charger 12/25

|                                   |              |               |   |     |           |
|-----------------------------------|--------------|---------------|---|-----|-----------|
| Blue Smart IP67 Charger 12/7 (1)  | BPC120715106 | 85 x 211 x 60 | ✓ | 1.8 | ZAR 1,846 |
| Blue Smart IP67 Charger 12/13 (1) | BPC121315106 | 85 x 211 x 60 | ✓ | 1.8 | ZAR 2,446 |
| Blue Smart IP67 Charger 12/17(1)  | BPC121715106 | 99 x 219 x 65 | ✓ | 2.4 | ZAR 2,695 |
| Blue Smart IP67 Charger 12/25(1)  | BPC122547106 | 99 x 219 x 65 | ✓ | 2.4 | ZAR 3,319 |
| Blue Smart IP67 Charger 24/5 (1)  | BPC240515106 | 85 x 211 x 60 | ✓ | 1.8 | ZAR 2,063 |
| Blue Smart IP67 Charger 24/8 (1)  | BPC240815106 | 99 x 219 x 65 | ✓ | 2.4 | ZAR 2,695 |
| Blue Smart IP67 Charger 24/12 (1) | BPC241247106 | 99 x 219 x 65 | ✓ | 2.4 | ZAR 3,319 |

#### BATTERY CHARGERS IP22 120V

1 output or 3 outputs, fan assisted cooling. With NEMA 5-15P plug. VE.Smart Network enabled.



Blue Smart IP22 Charger

|                                   |              |                |   |     |           |
|-----------------------------------|--------------|----------------|---|-----|-----------|
| Blue Smart IP22 Charger 12/15 (1) | BPC121545102 | 235 x 108 x 65 | ✓ | 1.4 | ZAR 2,490 |
| Blue Smart IP22 Charger 12/15 (3) | BPC121546102 | 235 x 108 x 65 | ✓ | 1.4 | ZAR 2,869 |
| Blue Smart IP22 Charger 12/20 (1) | BPC122045102 | 235 x 108 x 65 | ✓ | 1.4 | ZAR 2,979 |
| Blue Smart IP22 Charger 12/20 (3) | BPC122046102 | 235 x 108 x 65 | ✓ | 1.4 | ZAR 3,357 |
| Blue Smart IP22 Charger 12/30 (1) | BPC123047102 | 235 x 108 x 65 | ✓ | 1.4 | ZAR 3,578 |
| Blue Smart IP22 Charger 12/30 (3) | BPC123048102 | 235 x 108 x 65 | ✓ | 1.4 | ZAR 3,833 |
| Blue Smart IP22 Charger 24/8 (1)  | BPC240845102 | 235 x 108 x 65 | ✓ | 1.4 | ZAR 2,490 |
| Blue Smart IP22 Charger 24/12 (1) | BPC241245102 | 235 x 108 x 65 | ✓ | 1.4 | ZAR 3,058 |
| Blue Smart IP22 Charger 24/16 (1) | BPC241647102 | 235 x 108 x 65 | ✓ | 1.4 | ZAR 3,657 |
| Blue Smart IP22 Charger 24/16 (3) | BPC241648102 | 235 x 108 x 65 | ✓ | 1.4 | ZAR 3,938 |

#### BATTERY CHARGERS IP43 120/240V

Universal input 90-265VAC/45-65Hz, or 90-400VDC



Smart IP43 Charger  
12/50 (3) 120/240V

|                                                            |              |                 |   |     |           |
|------------------------------------------------------------|--------------|-----------------|---|-----|-----------|
| Smart IP43 Charger 12/30 (1+1) 120/240V                    | PSC123051095 | 180 x 249 x 100 | ✓ | 3.5 | ZAR 6,248 |
| Smart IP43 Charger 12/30 (3) 120/240V                      | PSC123053095 | 180 x 249 x 100 | ✓ | 3.5 | ZAR 6,719 |
| Smart IP43 Charger 12/50 (1+1) 120/240V                    | PSC125051095 | 180 x 249 x 100 | ✓ | 3.5 | ZAR 7,960 |
| Smart IP43 Charger 12/50 (3) 120/240V                      | PSC125053095 | 180 x 249 x 100 | ✓ | 3.5 | ZAR 8,430 |
| Smart IP43 Charger 24/16 (1+1) 120/240V                    | PSC241651095 | 180 x 249 x 100 | ✓ | 3.5 | ZAR 6,248 |
| Smart IP43 Charger 24/25 (1+1) 120/240V                    | PSC242551095 | 180 x 249 x 100 | ✓ | 3.5 | ZAR 7,960 |
| Smart IP43 Charger 24/25 (3) 120/240V                      | PSC242553095 | 180 x 249 x 100 | ✓ | 3.5 | ZAR 8,430 |
| Mains Cord CEE 7/7 for Smart IP43 Charger 2m               | ADA010100100 |                 | ✓ |     | ZAR 166   |
| Mains Cord UK for Smart IP43 Charger 2m                    | ADA010100200 |                 | ✓ |     | ZAR 166   |
| Mains Cord AU/NZ for Smart IP43 2m                         | ADA010100300 |                 | ✓ |     | ZAR 166   |
| Mains Cord NEMA 5-15P for Smart IP43 / Skylla-S Charger 2m | ADA010100400 |                 | ✓ |     | ZAR 166   |
| Mains Cord NEMA 6-15P for Smart IP43 2m                    | ADA010100500 |                 | ✓ |     | ZAR 166   |

2026-Q1

ZAR C

| BATTERY CHARGERS 120/240V, analog control                                             |                                                                                     |                                                  |                 |        |            |            |           |
|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------|-----------------|--------|------------|------------|-----------|
|      | Centaur Charger                                                                     |                                                  |                 |        |            |            |           |
|                                                                                       | 3x full current output                                                              |                                                  | H x W x D       | €      | kg         |            |           |
|                                                                                       | Centaur Charger 12/20 (3)                                                           | CCH012020000                                     | 355 x 215 x 110 | ✓      | 3.8        | ZAR 6,788  |           |
|                                                                                       | Centaur Charger 12/30 (3)                                                           | CCH012030000                                     | 355 x 215 x 110 | ✓      | 3.8        | ZAR 7,537  |           |
|                                                                                       | Centaur Charger 12/40 (3)                                                           | CCH012040000                                     | 426 x 239 x 135 | ✓      | 5.0        | ZAR 9,250  |           |
|                                                                                       | Centaur Charger 12/50 (3)                                                           | CCH012050000                                     | 426 x 239 x 135 | ✓      | 5.0        | ZAR 9,616  |           |
|                                                                                       | Centaur Charger 12/60 (3)                                                           | CCH012060000                                     | 426 x 239 x 135 | ✓      | 5.0        | ZAR 9,999  |           |
|                                                                                       | Centaur Charger 12/80 (3)                                                           | CCH012080000                                     | 505 x 255 x 130 | ✓      | 12         | ZAR 16,588 |           |
|                                                                                       | Centaur Charger 12/100 (3)                                                          | CCH012100000                                     | 505 x 255 x 130 | ✓      | 12         | ZAR 20,264 |           |
|                                                                                       | Centaur Charger 24/16 (3)                                                           | CCH024016000                                     | 355 x 215 x 110 | ✓      | 3.8        | ZAR 8,335  |           |
|                                                                                       | Centaur Charger 24/30 (3)                                                           | CCH024030000                                     | 426 x 239 x 135 | ✓      | 5.0        | ZAR 11,663 |           |
|                                                                                       | Centaur Charger 24/40 (3)                                                           | CCH024040000                                     | 505 x 255 x 130 | ✓      | 12         | ZAR 15,223 |           |
| Centaur Charger 24/60 (3)                                                             | CCH024060000                                                                        | 505 x 255 x 130                                  | ✓               | 12     | ZAR 17,419 |            |           |
| BATTERY CHARGERS 120/240V microprocessor control                                      |                                                                                     |                                                  |                 |        |            |            |           |
|      | Phoenix Charger                                                                     |                                                  |                 |        |            |            |           |
|                                                                                       | Universal input 90-265VAC/45-65Hz, or 90-400VDC                                     |                                                  |                 |        |            |            |           |
|                                                                                       | 2x full current output + 1x 4A output                                               |                                                  |                 |        |            |            |           |
|                                                                                       | Phoenix Charger 12/50(2+1) 120/240V                                                 | PCH012050001                                     | 350 x 200 x 108 | ✓      | 3.8        | ZAR 12,195 |           |
|      | Phoenix Charger 24/16(2+1) 120/240V                                                 | PCH024016001                                     | 350 x 200 x 108 | ✓      | 3.8        | ZAR 6,653  |           |
|                                                                                       | Phoenix Charger 24/25(2+1) 120/240V                                                 | PCH024025001                                     | 350 x 200 x 108 | ✓      | 3.8        | ZAR 12,195 |           |
|                                                                                       | BATTERY CHARGERS: microprocessor control                                            |                                                  |                 |        |            |            |           |
|      | Skylia IP65                                                                         |                                                  |                 |        |            |            |           |
|                                                                                       | Skylia IP65 12/70(1+1) 120/240V                                                     | SKY012070000                                     | 401 x 265 x 151 | ✓      | 6.0        | ZAR 13,439 |           |
|                                                                                       | Skylia IP65 12/70(3) 120/240V                                                       | SKY012070100                                     | 401 x 265 x 151 | ✓      | 6.0        | ZAR 14,805 |           |
|                                                                                       | Skylia IP65 24/35(1+1) 120/240V                                                     | SKY024035000                                     | 401 x 265 x 151 | ✓      | 6.0        | ZAR 13,439 |           |
|      | Skylia IP65 24/35(3) 120/240V                                                       | SKY024035100                                     | 401 x 265 x 151 | ✓      | 6.0        | ZAR 14,805 |           |
|                                                                                       | Skylia-TG 24/30 (1+1) 120/240V                                                      | SDTG2400301                                      | 365 x 250 x 147 | ✓      | 5.5        | ZAR 12,027 |           |
|                                                                                       | Skylia-TG 24/50 (1+1) 230V                                                          | SDTG2400501                                      | 365 x 250 x 147 | ✓      | 5.5        | ZAR 13,018 |           |
|                                                                                       | Skylia-TG 24/80 (1+1) 230V                                                          | SDTG2400801                                      | 365 x 250 x 257 | ✓      | 10         | ZAR 21,337 |           |
|      | Skylia-TG 24/100 (1+1) 230V                                                         | SDTG2401001                                      | 365 x 250 x 257 | ✓      | 10         | ZAR 25,751 |           |
|                                                                                       | Skylia-TG 24/50 3-phase (1+1) 400V                                                  | STG024050300                                     | 365 x 250 x 257 | ✓      | 13         | ZAR 23,634 |           |
|                                                                                       | Skylia-TG 24/100 3-phase (1+1) 400V                                                 | STG024100300                                     | 515 x 260 x 265 | ✓      | 23         | ZAR 37,794 |           |
|                                                                                       | Skylia-TG 24/30 (1+1) 120/240V                                                      | SDTG2400303                                      | 365 x 250 x 147 | ✓ GL** | 5.5        | ZAR 14,685 |           |
|      | Skylia-TG 24/50 (1+1) 120/240V                                                      | SDTG2400503                                      | 365 x 250 x 147 | ✓ GL** | 5.5        | ZAR 15,886 |           |
|                                                                                       | Skylia-TG 24/100 (1+1) 120/240V                                                     | SDTG2401003                                      | 365 x 250 x 257 | ✓ GL** | 10         | ZAR 31,397 |           |
|                                                                                       | Skylia-TG 24/30 GMDSS 120/240V (excl. panel)                                        | SDTG2400302                                      | 485 x 250 x 147 | ✓      | 6.0        | ZAR 18,379 |           |
|                                                                                       | Skylia-TG 24/50 GMDSS 120/240V (excl. panel)                                        | SDTG2400504                                      | 485 x 250 x 147 | ✓      | 6.0        | ZAR 23,109 |           |
|     | Skylia-TG 48/25 (1+1) 230V                                                          | SDTG4800251                                      | 365 x 250 x 147 | ✓      | 5.5        | ZAR 15,631 |           |
|                                                                                       | Skylia-TG 48/50 (1+1) 230V                                                          | SDTG4800501                                      | 365 x 250 x 257 | ✓      | 10         | ZAR 27,763 |           |
|                                                                                       | Skylia-i 24/80 (1+1) 230V                                                           | SKIO240800000                                    | 402 x 250 x 140 | ✓      | 8.0        | ZAR 20,421 |           |
|                                                                                       | Skylia-i 24/80 (3) 230V                                                             | SKIO240800002                                    | 402 x 250 x 140 | ✓      | 8.0        | ZAR 23,814 |           |
|     | Skylia-i 24/100 (1+1) 230V                                                          | SKIO241000000                                    | 402 x 250 x 140 | ✓      | 8.0        | ZAR 24,670 |           |
|                                                                                       | Skylia-i 24/100 (3) 230V                                                            | SKIO241000002                                    | 402 x 250 x 140 | ✓      | 8.0        | ZAR 28,920 |           |
|                                                                                       | Skylia-i remote on-off cable                                                        | ASS030550400                                     |                 | ✓      |            | ZAR 420    |           |
|                                                                                       | **Germanischer Lloyd approval. Category C, EMC 1                                    |                                                  |                 |        |            |            |           |
|    | Skylia-i 24/100 (1+1)                                                               |                                                  |                 |        |            |            |           |
|                                                                                       | SHORE CABLES                                                                        |                                                  |                 |        |            |            |           |
|                                                                                       |  | Shore Power Cords with Shore Power Organiser Bag |                 |        |            |            |           |
|                                                                                       |                                                                                     | Shore Power Cord 15m 16A                         | SHP302501500    |        | ✓          |            | ZAR 3,292 |
| Shore Power Cord 25m 16A                                                              |                                                                                     | SHP302502500                                     |                 | ✓      |            | ZAR 4,448  |           |
| Shore Power Cord 15m 25A                                                              |                                                                                     | SHP304001500                                     |                 | ✓      |            | ZAR 4,221  |           |
|    | Shore Power Cord 25m 32A                                                            | SHP306002500                                     |                 | ✓      |            | ZAR 8,231  |           |
|                                                                                       | Power Inlet 16A polyamid with cover                                                 | SHP301603000                                     |                 | ✓      |            | ZAR 1,278  |           |
|                                                                                       | Power Inlet 16A stainless steel with cover                                          | SHP301602000                                     |                 | ✓      |            | ZAR 1,856  |           |
|                                                                                       | Power Inlet 32A stainless steel with cover                                          | SHP303202000                                     |                 | ✓      |            | ZAR 2,417  |           |
|    | Plug 16A/250Vac (2p/3w) for Power Inlet 16A                                         | SHP301604000                                     |                 | ✓      |            | ZAR 1,471  |           |
|                                                                                       | Plug 32A/250Vac (2p/3w) for Power Inlet 32A                                         | SHP303204000                                     |                 | ✓      |            | ZAR 1,979  |           |
|                                                                                       | Adapter Cord 16A/250V Schuko/CEE                                                    | SHP307700220                                     |                 | ✓      |            | ZAR 455    |           |
|                                                                                       | Adapter Cord 16A/250V CEE/Schuko                                                    | SHP307700260                                     |                 | ✓      |            | ZAR 438    |           |
|    | Splitter Cord 16A/250V CEE/2xCee                                                    | SHP307700240                                     |                 | ✓      |            | ZAR 1,489  |           |
|                                                                                       | Adapter Cord 16A to 32A/250V CEE/CEE                                                | SHP307700280                                     |                 | ✓      |            | ZAR 648    |           |
|                                                                                       | Adapter Cord 32A 3-phase to single phase                                            | SHP307700300                                     |                 | ✓      |            | ZAR 893    |           |
|                                                                                       |                                                                                     |                                                  |                 |        |            |            |           |
|    | Adapter Cord SHP307700220                                                           |                                                  |                 |        |            |            |           |
|    | Adapter Cord SHP307700260                                                           |                                                  |                 |        |            |            |           |
|    | Splitter Cord SHP307700240                                                          |                                                  |                 |        |            |            |           |
|   | Adapter Cord SHP307700280                                                           |                                                  |                 |        |            |            |           |
|  | Adapter Cord SHP307700300                                                           |                                                  |                 |        |            |            |           |
| ISOLATION TRANSFORMERS / AUTOTRANSFORMER / GALVANIC ISOLATOR                          |                                                                                     |                                                  |                 |        |            |            |           |
|    | Isolation Transformer                                                               |                                                  |                 |        |            |            |           |
|                                                                                       | Isolation Trans. 2000W 115/230V                                                     | ITR040202041                                     | 375 x 214 x 135 | ✓      | 10         | ZAR 7,802  |           |
|                                                                                       | Isolation Trans. 3600W 115/230V                                                     | ITR040362041                                     | 362 x 258 x 221 | ✓      | 23         | ZAR 11,727 |           |
|                                                                                       | Isolation Trans. 7000W 230V                                                         | ITR000702001                                     | 362 x 258 x 221 | ✓      | 30         | ZAR 16,014 |           |
|                                                                                       | Isolation Trans. 3600W Auto 115/230V                                                | ITR050362041                                     | 362 x 258 x 221 | ✓      | 23         | ZAR 12,399 |           |
|                                                                                       | with automatic input voltage detection                                              |                                                  |                 |        |            |            |           |
|                                                                                       | Autotransformer 120/240VAC-32A                                                      | ITR000100001                                     | 375 x 214 x 110 | ✓      | 10         | ZAR 8,853  |           |
|                                                                                       | Autotransformer 120/240VAC-50A                                                      | ITR000100052                                     | 375 x 214 x 110 | ✓ ★    | 12         | ZAR 9,194  |           |
|                                                                                       | Autotransformer 120/240VAC-100A                                                     | ITR000100101                                     | 425 x 214 x 110 | ✓      | 14         | ZAR 9,991  |           |
|                                                                                       | The ultimate solution for split phase installations                                 |                                                  |                 |        |            |            |           |
|                                                                                       | Galvanic Isolator VDI-16                                                            | GDI000016000                                     | 60 x 120 x 200  | ✓      | 1.0        | ZAR 2,154  |           |
|                                                                                       | Galvanic Isolator VDI-32                                                            | GDI000032000                                     | 63 x 164 x 235  | ✓      | 2.0        | ZAR 4,886  |           |
|                                                                                       | Galvanic Isolator VDI-64                                                            | GDI000064000                                     | 64 x 164 x 224  | ✓      | 2.0        | ZAR 5,989  |           |



2026-Q1

New products are marked with ★  
Article number with suffix (R): also available in retail packaging  
Article number with suffix R: available in retail packaging only

ZAR C

## EV CHARGING STATION



|                                        |              |   |  |  |           |
|----------------------------------------|--------------|---|--|--|-----------|
| EV Charging Station                    | EVC300400300 | ✓ |  |  | ZAR 9,962 |
| EV Charging Station NS                 | EVC200300200 | ✓ |  |  | ZAR 9,962 |
| Black front for EV Charging Station NS | EVC200300310 |   |  |  | ZAR 613   |
| White front for EV Charging Station NS | EVC200300410 |   |  |  | ZAR 613   |

## DC-DC CONVERTERS



Orion IP67 24/12-20



Orion IP67 24/12-100



Orion-Tr 24/12-5

Orion 24/12-70  
with binding posts

50A Buck-Boost converter



Orion-Tr 12/24-5A (120W)



Orion-Tr Smart 12/12-30A (360W)



Orion-Tr 24/12-20A (240W)

Not isolated, resin encapsulated

|                              |              |                |   |     |           |
|------------------------------|--------------|----------------|---|-----|-----------|
| Orion IP67 24/12-5 (60W)     | ORI241205260 | 25 x 43 x 20   | ✓ | 0.1 | ZAR 414   |
| Orion IP67 24/12-10 (120W)   | ORI241210260 | 74 x 74 x 32   | ✓ | 0.4 | ZAR 679   |
| Orion IP67 24/12-20 (240W)   | ORI241220260 | 74 x 74 x 32   | ✓ | 0.5 | ZAR 877   |
| Orion IP67 12/24-50 (1200W)  | ORI122421226 | 340 x 127 x 63 | ✓ | 3.1 | ZAR 5,362 |
| Orion IP67 24/12-100 (1200W) | ORI241221226 | 265 x 127 x 63 | ✓ | 2.2 | ZAR 4,468 |

Not isolated

|                                   |                 |               |     |     |                    |
|-----------------------------------|-----------------|---------------|-----|-----|--------------------|
| Orion-Tr 24/12-5 (60W)            | ORI241205200(R) | 53 x 51 x 27  | ✓   | 0.1 | ZAR 299            |
| Orion-Tr 24/12-10 (120W)          | ORI241210200(R) | 73 x 94 x 37  | ✓   | 0.2 | ZAR 648            |
| Orion-Tr 24/12-15 (180W)          | ORI241215200(R) | 73 x 94 x 45  | ✓   | 0.3 | ZAR 727            |
| Orion-Tr 24/12-20 (240W)          | ORI241220200(R) | 73 x 94 x 45  | ✓   | 0.3 | ZAR 822            |
| Orion 24/12-25                    | ORI241225020    | 65 x 88 x 160 | ✓   | 0.7 | ZAR 1,214          |
| Orion 24/12-30                    | ORI241230022    | 65 x 88 x 160 | ✓ ★ | 0.7 | February ZAR 1,345 |
| Orion 24/12-40                    | ORI241240021    | 65 x 88 x 185 | ✓   | 0.9 | ZAR 1,650          |
| Orion 24/12-60                    | ORI241260020    | 65 x 88 x 185 | ✓ ★ | 0.9 | February ZAR 1,828 |
| Orion 24/12-70                    | ORI241270020    | 65 x 88 x 195 | ✓   | 0.9 | ZAR 2,095          |
| Orion 24/12-70 with binding posts | ORI241270030    | 65 x 88 x 195 | ✓   | 0.9 | ZAR 2,095          |
| Orion 24/12-80                    | ORI241280020    | 65 x 88 x 195 | ✓ ★ | 0.9 | February ZAR 2,321 |
| Orion 24/12-80 with binding posts | ORI241280030    | 65 x 88 x 195 | ✓ ★ | 0.9 | February ZAR 2,321 |
| Orion 48/12-60                    | ORI481260020    | 65 x 88 x 195 | ✓ ★ | 0.9 | February ZAR 2,539 |

|                                                   |              |                |   |     |            |
|---------------------------------------------------|--------------|----------------|---|-----|------------|
| Orion 12/24-8                                     | ORI122408020 | 45 x 90 x 115  | ✓ | 0.3 | ZAR 1,056  |
| Orion 12/24-10                                    | ORI122410020 | 45 x 90 x 125  | ✓ | 0.4 | ZAR 1,214  |
| Orion 12/24-20                                    | ORI122420020 | 65 x 88 x 195  | ✓ | 0.9 | ZAR 2,240  |
| 25A Buck-Boost DC-DC converter                    | ORI303025000 | 165 x 120 x 30 | ✓ | 0.9 | ZAR 10,630 |
| 50A Buck-Boost DC-DC converter                    | ORI303050000 | 213 x 120 x 30 | ✓ | 1.1 | ZAR 13,205 |
| 100A Buck-Boost DC-DC converter                   | ORI303100000 | 288 x 162 x 50 | ✓ | 4.0 | ZAR 23,100 |
| CAN-bus Temp. sensor for Buck-Boost DC-DC convert | ASS000200100 | 58 x 40 x 16   | ✓ | 0.0 | ZAR 2,574  |
| Orion-Tr Smart 12/12-30A Non-Isolated DC-DC ch.   | ORI121236140 | 130 x 186 x 80 | ✓ | 1.8 | ZAR 4,228  |
| Orion-Tr Smart 12/24-15A Non-Isolated DC-DC ch.   | ORI122436140 | 130 x 186 x 80 | ✓ | 1.8 | ZAR 4,228  |
| Orion-Tr Smart 24/12-30A Non-Isolated DC-DC ch.   | ORI241236140 | 130 x 186 x 80 | ✓ | 1.8 | ZAR 4,228  |
| Orion-Tr Smart 24/24-17A Non-Isolated DC-DC ch.   | ORI242440140 | 130 x 186 x 80 | ✓ | 1.6 | ZAR 4,228  |
| Orion XS 12/12-50A DC-DC battery charger          | ORI121217050 | 138 x 123 x 40 | ✓ | 0.3 | ZAR 6,110  |
| Orion XS 1400 DC-DC battery charger               | ORI242417040 | 138 x 123 x 40 | ✓ | 0.6 | ZAR 6,988  |

With galvanic isolation

|                                                  |                 |                |   |     |           |
|--------------------------------------------------|-----------------|----------------|---|-----|-----------|
| Orion-Tr 12/12-9A (110W)                         | ORI121210110(R) | 100 x 113 x 47 | ✓ | 0.6 | ZAR 1,244 |
| Orion-Tr 12/12-18A (220W)                        | ORI121222110    | 130 x 186 x 70 | ✓ | 1.3 | ZAR 2,240 |
| Orion-Tr 12/12-30A (360W)                        | ORI121240110    | 130 x 186 x 80 | ✓ | 1.8 | ZAR 3,949 |
| Orion-Tr 12/24-5A (120W)                         | ORI122410110    | 100 x 113 x 47 | ✓ | 0.6 | ZAR 1,244 |
| Orion-Tr 12/24-10A (240W)                        | ORI122424110    | 130 x 186 x 70 | ✓ | 1.3 | ZAR 2,240 |
| Orion-Tr 12/24-15A (360W)                        | ORI122441110    | 130 x 186 x 80 | ✓ | 1.8 | ZAR 3,949 |
| Orion-Tr 12/48-8A (380W)                         | ORI124838110    | 130 x 186 x 80 | ✓ | 1.8 | ZAR 3,949 |
| Orion-Tr Smart 12/12-18A Isolated DC-DC charger  | ORI121222120    | 130 x 186 x 70 | ✓ | 1.3 | ZAR 3,136 |
| Orion-Tr Smart 12/12-30A Isolated DC-DC charger  | ORI121236120    | 130 x 186 x 80 | ✓ | 1.8 | ZAR 4,795 |
| Orion-Tr Smart 12/24-10A Isolated DC-DC charger  | ORI122424120    | 130 x 186 x 70 | ✓ | 1.3 | ZAR 3,136 |
| Orion-Tr Smart 12/24-15A Isolated DC-DC charger  | ORI122436120    | 130 x 186 x 80 | ✓ | 1.8 | ZAR 4,795 |
| Orion-Tr Smart 12/48-8A Isolated DC-DC charger   | ORI124838120    | 130 x 186 x 80 | ✓ | 1.8 | ZAR 4,795 |
| Orion-Tr 24/12-9A (110W)                         | ORI241210110(R) | 100 x 113 x 47 | ✓ | 0.6 | ZAR 1,244 |
| Orion-Tr 24/12-20A (240W)                        | ORI241224110    | 130 x 186 x 70 | ✓ | 1.3 | ZAR 2,240 |
| Orion-Tr 24/12-30A (360W)                        | ORI241240110    | 130 x 186 x 80 | ✓ | 1.8 | ZAR 3,949 |
| Orion-Tr 24/24-5A (120W)                         | ORI242410110(R) | 100 x 113 x 47 | ✓ | 0.6 | ZAR 1,244 |
| Orion-Tr 24/24-12A (280W)                        | ORI242428110    | 130 x 186 x 70 | ✓ | 1.3 | ZAR 2,240 |
| Orion-Tr 24/24-17A (400W)                        | ORI242441110    | 130 x 186 x 70 | ✓ | 1.6 | ZAR 3,949 |
| Orion-Tr 24/48-2.5A (120W)                       | ORI244810110    | 100 x 113 x 47 | ✓ | 0.6 | ZAR 1,244 |
| Orion-Tr 24/48-6A (280W)                         | ORI244828110    | 130 x 186 x 70 | ✓ | 1.3 | ZAR 2,240 |
| Orion-Tr 24/48-8.5A (400W)                       | ORI244841110    | 130 x 186 x 70 | ✓ | 1.6 | ZAR 3,949 |
| Orion-Tr Smart 24/12-20A Isolated DC-DC charger  | ORI241224120    | 130 x 186 x 70 | ✓ | 1.3 | ZAR 3,136 |
| Orion-Tr Smart 24/12-30A Isolated DC-DC charger  | ORI241236120    | 130 x 186 x 80 | ✓ | 1.8 | ZAR 4,795 |
| Orion-Tr Smart 24/24-12A Isolated DC-DC charger  | ORI242428120    | 130 x 186 x 70 | ✓ | 1.3 | ZAR 3,136 |
| Orion-Tr Smart 24/24-17A Isolated DC-DC charger  | ORI242440120    | 130 x 186 x 70 | ✓ | 1.6 | ZAR 4,795 |
| Orion-Tr Smart 24/48-8.5A Isolated DC-DC charger | ORI244840120    | 130 x 186 x 70 | ✓ | 1.8 | ZAR 4,795 |
| Orion-Tr 48/12-9A (110W)                         | ORI481210110    | 100 x 113 x 47 | ✓ | 0.6 | ZAR 1,244 |
| Orion-Tr 48/12-20A (240W)                        | ORI481224110    | 130 x 186 x 70 | ✓ | 1.3 | ZAR 2,240 |
| Orion-Tr 48/12-30A (360W)                        | ORI481240110    | 130 x 186 x 80 | ✓ | 1.8 | ZAR 3,949 |
| Orion-Tr 48/24-5A (120W)                         | ORI482410110    | 100 x 113 x 47 | ✓ | 0.6 | ZAR 1,244 |
| Orion-Tr 48/24-12A (280W)                        | ORI482428110    | 130 x 186 x 70 | ✓ | 1.3 | ZAR 2,240 |
| Orion-Tr 48/24-16A (380W)                        | ORI482441110    | 130 x 186 x 70 | ✓ | 1.6 | ZAR 3,949 |
| Orion-Tr 48/48-2.5A (120W)                       | ORI484810110    | 100 x 113 x 47 | ✓ | 0.6 | ZAR 1,244 |
| Orion-Tr 48/48-6A (280W)                         | ORI484828110    | 130 x 186 x 70 | ✓ | 1.3 | ZAR 2,240 |
| Orion-Tr 48/48-8A (380W)                         | ORI484841110    | 130 x 186 x 70 | ✓ | 1.6 | ZAR 3,949 |
| Orion-Tr Smart 48/12-20A Isolated DC-DC charger  | ORI481224120    | 130 x 186 x 70 | ✓ | 1.2 | ZAR 3,136 |
| Orion-Tr Smart 48/12-30A Isolated DC-DC charger  | ORI481236120    | 130 x 186 x 70 | ✓ | 1.8 | ZAR 4,795 |
| Orion-Tr Smart 48/24-16A Isolated DC-DC charger  | ORI482438120    | 130 x 186 x 70 | ✓ | 1.8 | ZAR 4,795 |
| Orion-Tr Smart 48/48-8A Isolated DC-DC charger   | ORI484838120    | 130 x 186 x 70 | ✓ | 1.8 | ZAR 4,795 |
| Orion 110/12-30A (360W)                          | ORI110123610    | 64 x 163 x 160 | ✓ | 1.4 | ZAR 7,180 |
| Orion 110/24-15A (360W)                          | ORI110243610    | 64 x 163 x 160 | ✓ | 1.4 | ZAR 7,180 |
| Orion-Tr Isolated DC-DC Charger remote cable     | ASS070300100    |                | ✓ |     | ZAR 364   |



### AUTOMATIC TRANSFER SWITCHES



Filax-2

|                               |              |                 |   |     |           |
|-------------------------------|--------------|-----------------|---|-----|-----------|
| Filax-2 230V/50Hz-240V/60Hz   | SDFI0000000  | 120 x 255 x 75  | ✓ | 0.8 | ZAR 5,083 |
| Filax-2 110V/50Hz-120V/60Hz   | SDFI0000110  | 120 x 255 x 75  | ✓ | 0.8 | ZAR 5,083 |
| VE Transfer Switch 5kVA/230V  | COS230502100 | 175 x 215 x 120 | ✓ | 1.4 | ZAR 6,077 |
| VE Transfer Switch 10kVA/230V | COS230103100 | 175 x 215 x 120 | ✓ | 1.5 | ZAR 7,513 |

Transfer switches for general application, with time relay and aux contact for Multi/Digital Control Panel  
Please consider the Quattro with integrated transfer switch instead!



VE Transfer Switch 5kVA/230V



VE Transfer Switch 10kVA/230V

### Lynx and DC distribution



Lynx Power In

|                              |              |                |   |     |            |
|------------------------------|--------------|----------------|---|-----|------------|
| Lynx Power In (M8)           | LYN020102000 | 170 x 290 x 80 | ✓ | 2.1 | ZAR 2,766  |
| Lynx Power In (M10)          | LYN020102010 | 170 x 290 x 80 | ✓ | 2.1 | ZAR 2,766  |
| Lynx Class-T Power In (M10)  | LYN060404010 | 170 x 280 x 97 | ✓ | 2.1 | ZAR 3,327  |
| Lynx Smart BMS 500 (M8)      | LYN034160200 | 170 x 186 x 80 | ✓ | 2.2 | ZAR 17,802 |
| Lynx Smart BMS 500 (M10)     | LYN034160210 | 170 x 186 x 80 | ✓ | 2.2 | ZAR 14,974 |
| Lynx Smart BMS 500 NG (M10)  | LYN034160310 | 170 x 186 x 80 | ✓ | 2.2 | ZAR 13,398 |
| Lynx Smart BMS 1000 (M10)    | LYN034170210 | 170 x 186 x 80 | ✓ | 2.5 | ZAR 19,965 |
| Lynx Smart BMS 1000 NG (M10) | LYN034170310 | 170 x 186 x 80 | ✓ | 2.5 | ZAR 17,863 |
| Lynx Shunt VE.Can (M8)       | LYN040102100 | 170 x 186 x 80 | ✓ | 1.4 | ZAR 6,971  |
| Lynx Shunt VE.Can (M10)      | LYN040102110 | 170 x 186 x 80 | ✓ | 1.4 | ZAR 6,971  |
| Lynx Distributor (M8)        | LYN060102000 | 170 x 290 x 80 | ✓ | 2.2 | ZAR 3,951  |
| Lynx Distributor (M10)       | LYN060102010 | 170 x 290 x 80 | ✓ | 2.3 | ZAR 3,951  |



Lynx Shunt



Lynx Distributor

|                                                  |              |  |   |  |           |
|--------------------------------------------------|--------------|--|---|--|-----------|
| Dual Terminal Stud M8-linked set (1 red/1 black) | VBB413020010 |  | ✓ |  | ZAR 427   |
| Busbar 150A 2P with 10 screws +cover             | VBB115021020 |  | ✓ |  | ZAR 371   |
| Busbar 150A 2P with 20 screws +cover             | VBB115022020 |  | ✓ |  | ZAR 563   |
| Busbar 150A 4P + cover                           | VBB115040020 |  | ✓ |  | ZAR 366   |
| Busbar 150A 6P + cover                           | VBB115060020 |  | ✓ |  | ZAR 549   |
| Busbar 250A 2P with 6 screws +cover              | VBB125020620 |  | ✓ |  | ZAR 858   |
| Busbar 250A 2P with 12 screws +cover             | VBB125021220 |  | ✓ |  | ZAR 886   |
| Busbar 250A 4P + cover                           | VBB125040010 |  | ✓ |  | ZAR 1,115 |
| Busbar 250A 6P + cover                           | VBB125060020 |  | ✓ |  | ZAR 1,215 |
| Busbar 600A 4P + cover                           | VBB160040010 |  | ✓ |  | ZAR 2,562 |
| Busbar 600A 8P + cover                           | VBB160080010 |  | ✓ |  | ZAR 3,968 |
| Battery switch on/off 275A                       | VBS127010010 |  | ✓ |  | ZAR 683   |



Dual Terminals



Busbar 150A 2P with 20 screws



Busbar 150A 4P + cover



Busbar 250A 4P  
Cover not shown



Busbar 600A 8P  
Cover not shown



Battery Switch 275A

### FUSES



MIDI-fuse

|                                            |              |             |   |  |         |
|--------------------------------------------|--------------|-------------|---|--|---------|
| MIDI-fuse 100A/32V (package of 5 pcs)      | CIP132100010 | 8 x 12 x 42 | ✓ |  | ZAR 175 |
| MIDI-fuse 125A/32V (package of 5 pcs)      | CIP132125010 | 8 x 12 x 42 | ✓ |  | ZAR 175 |
| MIDI-fuse 200A/32V (package of 5 pcs)      | CIP132200010 | 8 x 12 x 42 | ✓ |  | ZAR 175 |
| MIDI-fuse 50A/58V for 48V products (1 pc)  | CIP133050010 | 8 x 12 x 42 | ✓ |  | ZAR 88  |
| MIDI-fuse 60A/58V for 48V products (1 pc)  | CIP133060010 | 8 x 12 x 42 | ✓ |  | ZAR 88  |
| MIDI-fuse 80A/58V for 48V products (1 pc)  | CIP133080010 | 8 x 12 x 42 | ✓ |  | ZAR 88  |
| MIDI-fuse 100A/58V for 48V products (1 pc) | CIP133100010 | 8 x 12 x 42 | ✓ |  | ZAR 88  |



Fuse holder for MIDI-fuse

|                                          |              |             |   |  |         |
|------------------------------------------|--------------|-------------|---|--|---------|
| MIDI-fuse 30A/58V-M6 (package of 5 pcs)  | CIP134030020 | 8 x 12 x 42 | ✓ |  | ZAR 228 |
| MIDI-fuse 40A/58V-M6 (package of 5 pcs)  | CIP134040020 | 8 x 12 x 42 | ✓ |  | ZAR 228 |
| MIDI-fuse 60A/58V-M6 (package of 5 pcs)  | CIP134060020 | 8 x 12 x 42 | ✓ |  | ZAR 228 |
| MIDI-fuse 80A/58V-M6 (package of 5 pcs)  | CIP134080020 | 8 x 12 x 42 | ✓ |  | ZAR 228 |
| MIDI-fuse 100A/58V-M6 (package of 5 pcs) | CIP134100020 | 8 x 12 x 42 | ✓ |  | ZAR 228 |



MEGA-fuse

|                                       |              |              |   |  |         |
|---------------------------------------|--------------|--------------|---|--|---------|
| Fuse holder for MIDI-fuse             | CIP000050001 | 25 x 30 x 52 | ✓ |  | ZAR 175 |
| MEGA-fuse 400A/32V (package of 5 pcs) | CIP136400010 | 9 x 19 x 67  | ✓ |  | ZAR 298 |
| MEGA-fuse 500A/32V (package of 5 pcs) | CIP136500010 | 9 x 19 x 67  | ✓ |  | ZAR 298 |



Fuse holder for MEGA-fuse

|                                       |              |             |   |  |         |
|---------------------------------------|--------------|-------------|---|--|---------|
| MEGA-fuse 40A/80V (package of 5 pcs)  | CIP138040020 | 9 x 19 x 67 | ✓ |  | ZAR 701 |
| MEGA-fuse 60A/80V (package of 5 pcs)  | CIP138060020 | 9 x 19 x 67 | ✓ |  | ZAR 701 |
| MEGA-fuse 80A/80V (package of 5 pcs)  | CIP138080020 | 9 x 19 x 67 | ✓ |  | ZAR 701 |
| MEGA-fuse 100A/80V (package of 5 pcs) | CIP138100020 | 9 x 19 x 67 | ✓ |  | ZAR 701 |
| MEGA-fuse 125A/80V (package of 5 pcs) | CIP138125020 | 9 x 19 x 67 | ✓ |  | ZAR 701 |
| MEGA-fuse 150A/80V (package of 5 pcs) | CIP138150020 | 9 x 19 x 67 | ✓ |  | ZAR 701 |
| MEGA-fuse 175A/80V (package of 5 pcs) | CIP138175020 | 9 x 19 x 67 | ✓ |  | ZAR 701 |
| MEGA-fuse 200A/80V (package of 5 pcs) | CIP138200020 | 9 x 19 x 67 | ✓ |  | ZAR 701 |
| MEGA-fuse 225A/80V (package of 5 pcs) | CIP138225020 | 9 x 19 x 67 | ✓ |  | ZAR 701 |
| MEGA-fuse 250A/80V (package of 5 pcs) | CIP138250020 | 9 x 19 x 67 | ✓ |  | ZAR 701 |
| MEGA-fuse 300A/80V (package of 5 pcs) | CIP138300020 | 9 x 19 x 67 | ✓ |  | ZAR 701 |
| MEGA-fuse 400A/80V (package of 5 pcs) | CIP138400020 | 9 x 19 x 67 | ✓ |  | ZAR 701 |
| MEGA-fuse 500A/80V (package of 5 pcs) | CIP138500020 | 9 x 19 x 67 | ✓ |  | ZAR 701 |



Six-way fuse holder for Mega-fuse

|                                                      |              |               |   |  |         |
|------------------------------------------------------|--------------|---------------|---|--|---------|
| Fuse holder for MEGA-fuse                            | CIP000100001 | 39 x 39 x 97  | ✓ |  | ZAR 228 |
| Six-way fuse holder for Mega-fuse with busbar (250A) | CIP050060000 | 50 x 182 x 80 | ✓ |  | ZAR 543 |



CIP100400070 with fuse holders

|                                           |              |              |   |  |         |
|-------------------------------------------|--------------|--------------|---|--|---------|
| Modular fuse holder for Mega-fuse         | CIP100200100 | 45 x 33 x 73 | ✓ |  | ZAR 701 |
| Busbar to connect 5 CIP100200100 (500 A)  | CIP100400060 | 5 x 40 x 180 | ✓ |  | ZAR 753 |
| Busbar to connect 6 CIP100200100 (1500 A) | CIP100400070 | 5 x 40 x 240 | ✓ |  | ZAR 876 |



Fuse CNN



|                                      |              |              |   |  |         |
|--------------------------------------|--------------|--------------|---|--|---------|
| ANL-fuse 300A/80V (package of 5 pcs) | CIP143300020 | 10 x 20 x 81 | ✓ |  | ZAR 613 |
| ANL-fuse 400A/80V (package of 5 pcs) | CIP143400020 | 10 x 20 x 81 | ✓ |  | ZAR 613 |
| ANL-fuse 500A/80V (package of 5 pcs) | CIP143500020 | 10 x 20 x 81 | ✓ |  | ZAR 613 |
| Fuse holder for ANL-fuse             | CIP106100000 | 44 x 25 x 87 | ✓ |  | ZAR 193 |
| Fuse CNN 325A/80V for Lynx shunt     | CIP140325000 | 15 x 82 x 20 | ✓ |  | ZAR 981 |




Article number with suffix (R): also available in retail packaging  
Article number with suffix R: available in retail packaging only

2026-Q1

ZAR C

| GX Products                                                                         |                                                                                              |               |                  | H x W x D | € | kg  |            |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|---------------|------------------|-----------|---|-----|------------|
|    | Ekrano GX                                                                                    | BPP900480100  | 124 x 187 x 33   | ✓         |   |     | ZAR 11,064 |
|                                                                                     | Ekrano GX Wall Mount                                                                         | BPP900495100  |                  | ✓         |   |     | ZAR 420    |
|    | ** Cerbo GX MK2                                                                              | BPP900451100  | 48 x 154 x 78    | ✓         |   | 0.4 | ZAR 4,869  |
|                                                                                     | ** Cerbo GX MK2                                                                              | BPP900450110  | 48 x 154 x 78    | ✓         |   | 0.4 | ZAR 4,869  |
| ** Identical products, availability depending on location - see eOrder              |                                                                                              |               |                  |           |   |     |            |
|    | GX Touch 50                                                                                  | BPP900455050  | 87 x 128 x 12,5  | ✓         |   |     | ZAR 4,326  |
|                                                                                     | GX Touch 50 flush                                                                            | BPP900455150  | 97 x 136 x 12    | ✓         |   |     | ZAR 4,816  |
|                                                                                     | GX Touch 50 adapter for CCGX cut-out                                                         | BPP900460050  |                  | ✓         |   |     | ZAR 482    |
|                                                                                     | GX Touch 50 Wall Mount                                                                       | BPP900465050  |                  | ✓         |   |     | ZAR 299    |
|                                                                                     | GX Touch 70                                                                                  | BPP900455070  | 113 x 176 x 13,5 | ✓         |   |     | ZAR 6,356  |
|                                                                                     | GX Touch 70 flush                                                                            | BPP900455170  | 120 x 184 x 13   | ✓         |   |     | ZAR 7,093  |
|                                                                                     | GX Touch 70 Wall Mount                                                                       | BPP900465070  |                  | ✓         |   |     | ZAR 408    |
|    | GX IO-Extender 150                                                                           | BPP900800150  |                  | ✓         |   |     | ZAR 2,452  |
|                                                                                     | Venus GX                                                                                     | BPP900400100  | 46 x 142 x 96    | ✓         |   |     | ZAR 3,503  |
|    | Temperature sensor QUA/PMP/Venus GX                                                          | ASS000001000  |                  | ✓         |   |     | ZAR 397    |
|                                                                                     | CCGX WiFi module simple<br>(ModMyPi USB 11N nano)                                            | BPP900100200  |                  | ✓         |   |     | ZAR 438    |
|                                                                                     | CCGX WiFi module long range (Netgear AC1200)                                                 | BPP900200400  |                  | ✓         |   |     | ZAR 2,611  |
| GMDSSpanel and tank senders                                                         |                                                                                              |               |                  |           |   |     |            |
|    | VE.Net GMDSS Panel                                                                           | VPN000200000  | 65 x 120 x 40    | ✓         |   |     | ZAR 3,644  |
|    | VE.Can resistive tank sender adapter                                                         | BPP900600100  | 48 x 109 x 25    | ✓         |   |     | ZAR 6,501  |
|                                                                                     | VE.Can Power Cable for BPP900600100                                                          | ASS030690000  |                  | ✓         |   |     | ZAR 612    |
|  | GX Tank 140                                                                                  | BPP920140100  |                  | ✓         |   |     | ZAR 1,930  |
| REMOTE PANELS                                                                       |                                                                                              |               |                  |           |   |     |            |
|  | Digital Multi Control 200/200A                                                               | REC020005010  | 65 x 120 x 40    | ✓         |   |     | ZAR 2,605  |
|                                                                                     | Digital Multi Control 200/200A GX (90° RJ45)                                                 | DMC000200010R | 65 x 120 x 40    | ✓         |   |     | ZAR 2,306  |
| Above panels can be used with all Multi(Plus) and Quattro inverter/chargers         |                                                                                              |               |                  |           |   |     |            |
|  | Inverter Control                                                                             | REC030001210  | 65 x 60 x 40     | ✓         |   |     | ZAR 1,716  |
|                                                                                     | Phoenix Charger Control                                                                      | REC010001110  | 65 x 120 x 40    | ✓         |   |     | ZAR 1,471  |
|  | Inverter Control VE.Direct                                                                   | REC040010210R | 65 x 60 x 40     | ✓         |   |     | ZAR 406    |
|  | Skylla-i Control GX (90° RJ45)                                                               | REC000300010R | 65 x 120 x 40    | ✓         |   |     | ZAR 2,562  |
|                                                                                     | Charger Switch                                                                               | SDRPCSV       | 65 x 60 x 40     | ✓         |   |     | ZAR 2,242  |
|                                                                                     | Skylla Control                                                                               | SDRPSKC       | 65 x 120 x 40    | ✓         |   |     | ZAR 3,047  |
|                                                                                     | Battery Alarm GX                                                                             | BPA000100010R | 65 x 120 x 40    | ✓         |   |     | ZAR 1,135  |
|  | CCGX WiFi module long range (Netgear AC1200)                                                 | BPP900200400  |                  | ✓         |   |     | ZAR 2,611  |
|                                                                                     | GX LTE 4G-E (EMEA/Korea/Thailand)                                                            | GSM100100400  |                  | ✓         |   |     | ZAR 3,923  |
|                                                                                     | GX LTE 4G-A (North America)                                                                  | GSM100200400  |                  | ✓         |   |     | ZAR 3,923  |
|                                                                                     | GX LTE 4G-SA (Australia/New Zealand/South America)                                           | GSM100300400  |                  | ✓         |   |     | ZAR 3,923  |
| (Small 2/3/4G antenna included)                                                     |                                                                                              |               |                  |           |   |     |            |
|  | Outdoor 2G and 3G GSM Antenna for GX GSM                                                     | GSM900100100  |                  | ✓         |   |     | ZAR 586    |
|                                                                                     | Outdoor 4G GSM Antenna                                                                       | GSM900100400  |                  | ✓         |   |     | ZAR 586    |
|                                                                                     | Active GPS Antenna for GX GSM & GX LTE                                                       | GSM900200100  |                  | ✓         |   |     | ZAR 586    |
|                                                                                     | Outdoor LTE-M wall mount antenna (with 5m cable)                                             | ANT100200100  |                  | ✓         |   |     | ZAR 1,015  |
|  | Outdoor LTE-M puck antenna (with 3m cable)                                                   | ANT100200200  |                  | ✓         |   |     | ZAR 1,098  |
|                                                                                     | GlobalLink 520 (incl. 5 year activated simcard)                                              | ASS030543020  | 23 x 123 x 66    | ✓         |   |     | ZAR 4,256  |
|  | VE.Direct LoRaWAN US902-928 module                                                           | ASS030540010  |                  | ✓         |   |     | ZAR 1,734  |
|  | Wall mount enclosure for 65 x 120 mm GX-panels with 90 degr. RJ45 socket only:               | ASS050300010  | 80 x 150 x 50    | ✓         |   |     | ZAR 489    |
|                                                                                     | - BPA000100000R - Battery Alarm GX                                                           |               |                  |           |   |     |            |
|                                                                                     | - REC000300000R - Skylia-i Control GX (90° RJ45)                                             |               |                  |           |   |     |            |
|                                                                                     | - DMC000200000R - Digital Multi Control 200/200A GX (90° RJ45)                               |               |                  |           |   |     |            |
|  | Wall mount enclosure for Color Control GX                                                    | ASS050400000  | 165 x 135 x 65   | ✓         |   |     | ZAR 659    |
|                                                                                     | Wall mount enclosure for BMV or MPPT Control                                                 | ASS050500000  | 130 x 85 x 45    | ✓         |   |     | ZAR 454    |
|                                                                                     | Wall mount enclosure for Color Control GX and BMV or MPPT Control                            | ASS050600000  | 245 x 135 x 65   | ✓         |   |     | ZAR 695    |
|                                                                                     | USB extension cable 0,3m one side right angle<br>(for Color Control in wall mount enclosure) | ASS060000100  |                  | ✓         |   |     | ZAR 142    |

| DATA CABLES and INTERFACES                                                          |                                                                                      |                  |  | H x W x D | CE | kg         |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|------------------|--|-----------|----|------------|
|    | RJ12 network cables                                                                  |                  |  |           |    |            |
|                                                                                     | RJ12 UTP Cable 0,3 m                                                                 | ASS030066003     |  | ✓         |    | ZAR 158    |
|                                                                                     | RJ12 UTP Cable 0,9 m                                                                 | ASS030066009     |  | ✓         |    | ZAR 158    |
|                                                                                     | RJ12 UTP Cable 1,8 m                                                                 | ASS030066018     |  | ✓         |    | ZAR 158    |
|                                                                                     | RJ12 UTP Cable 3 m                                                                   | ASS030066030     |  | ✓         |    | ZAR 210    |
|                                                                                     | RJ12 UTP Cable 5 m                                                                   | ASS030066050     |  | ✓         |    | ZAR 315    |
|                                                                                     | RJ12 UTP Cable 10 m                                                                  | ASS030066100     |  | ✓         |    | ZAR 508    |
|                                                                                     | RJ12 UTP Cable 15 m                                                                  | ASS030066150     |  | ✓         |    | ZAR 613    |
|                                                                                     | RJ12 UTP Cable 30 m                                                                  | ASS030066300     |  | ✓         |    | ZAR 806    |
|                                                                                     |                                                                                      | cable-color=grey |  |           |    |            |
|    | RJ45 network cables                                                                  |                  |  |           |    |            |
|                                                                                     | RJ45 UTP Cable 0,3 m                                                                 | ASS030064900     |  | ✓         |    | ZAR 158    |
|                                                                                     | RJ45 UTP Cable 0,9 m                                                                 | ASS030064920     |  | ✓         |    | ZAR 158    |
|                                                                                     | RJ45 UTP Cable 1,8 m                                                                 | ASS030064950     |  | ✓         |    | ZAR 210    |
|                                                                                     | RJ45 UTP Cable 3 m                                                                   | ASS030064980     |  | ✓         |    | ZAR 245    |
|                                                                                     | RJ45 UTP Cable 5 m                                                                   | ASS030065000     |  | ✓         |    | ZAR 315    |
|                                                                                     | RJ45 UTP Cable 10 m                                                                  | ASS030065010     |  | ✓         |    | ZAR 368    |
|                                                                                     | RJ45 UTP Cable 15 m                                                                  | ASS030065020     |  | ✓         |    | ZAR 508    |
|                                                                                     | RJ45 UTP Cable 20 m                                                                  | ASS030065030     |  | ✓         |    | ZAR 613    |
|                                                                                     | RJ45 UTP Cable 30 m                                                                  | ASS030065050     |  | ✓         |    | ZAR 718    |
|    | VE.Direct cables, use to connect BMV-70x and low power MPPTs to the Color Control GX |                  |  |           |    |            |
|                                                                                     | VE.Direct Cable 0,3m                                                                 | ASS030530203     |  | ✓         |    | ZAR 268    |
|                                                                                     | VE.Direct Cable 0,9m                                                                 | ASS030530209     |  | ✓         |    | ZAR 268    |
|                                                                                     | VE.Direct Cable 1,8m                                                                 | ASS030530218     |  | ✓         |    | ZAR 268    |
|                                                                                     | VE.Direct Cable 3m                                                                   | ASS030530230     |  | ✓         |    | ZAR 299    |
|                                                                                     | VE.Direct Cable 5m                                                                   | ASS030530250     |  | ✓         |    | ZAR 331    |
|                                                                                     | VE.Direct Cable 10m                                                                  | ASS030530310     |  | ✓         |    | ZAR 394    |
|                                                                                     | VE.Direct Cable 0,3m (one side Right Angle conn)                                     | ASS030531203     |  | ✓         |    | ZAR 268    |
|                                                                                     | VE.Direct Cable 0,9m (one side Right Angle conn)                                     | ASS030531209     |  | ✓         |    | ZAR 268    |
|                                                                                     | VE.Direct Cable 1,8m (one side Right Angle conn)                                     | ASS030531218     |  | ✓         |    | ZAR 268    |
|    | VE.Direct Cable 3m (one side Right Angle conn)                                       | ASS030531230     |  | ✓         |    | ZAR 299    |
|                                                                                     | VE.Direct Cable 5m (one side Right Angle conn)                                       | ASS030531250     |  | ✓         |    | ZAR 331    |
|                                                                                     | VE.Direct Cable 10m (one side Right Angle conn)                                      | ASS030531320     |  | ✓         |    | ZAR 394    |
|                                                                                     | Cables with M8 circular connector (for Li-Ion batteries)                             |                  |  |           |    |            |
|                                                                                     | Male to Female 3 pole 1 m (bag of 2)                                                 | ASS030560100     |  | ✓         |    | ZAR 649    |
|                                                                                     | Male to Female 3 pole 2 m (bag of 2)                                                 | ASS030560200     |  | ✓         |    | ZAR 682    |
|                                                                                     | Male to Female 3 pole 3 m (bag of 2)                                                 | ASS030560300     |  | ✓         |    | ZAR 732    |
|                                                                                     | Male to Female 3 pole 5 m (bag of 2)                                                 | ASS030560500     |  | ✓         |    | ZAR 832    |
|                                                                                     | Interfaces to connect Victron products to your computer                              |                  |  |           |    |            |
|                                                                                     | VE.Direct to USB interface                                                           | ASS030530010     |  | ✓         |    | ZAR 543    |
|  | VE.Direct to USB-C interface                                                         | ASS030530030     |  | ✓         |    | ZAR 560    |
|                                                                                     | Interface MK2-USB (for Phoenix Charger only)                                         | ASS030130010     |  | ✓         |    | ZAR 1,524  |
|                                                                                     | Interface MK3-USB (VE.Bus to USB)                                                    | ASS030140000     |  | ✓         |    | ZAR 1,348  |
|                                                                                     | Interface MK3-USB-C (VE.Bus to USB-C)                                                | ASS030140030     |  | ✓         |    | ZAR 1,168  |
|                                                                                     | CANUSB interface                                                                     | ASS030532010     |  | ✓         |    | ZAR 10,035 |
|                                                                                     | Interfaces to connect Victron products to NMEA2000                                   |                  |  |           |    |            |
|                                                                                     | VE.Can to NMEA2000 Micro-C male                                                      | ASS030520200     |  | ✓         |    | ZAR 1,387  |
|                                                                                     | Interfaces for industrial use / datacommunication                                    |                  |  |           |    |            |
|                                                                                     | Interface MK2.2b (VE.Bus to RS232)                                                   | ASS030120210     |  | ✓         |    | ZAR 1,065  |
|                                                                                     | RS232 to USB converter                                                               | ASS030200000     |  | ✓         |    | ZAR 566    |
|  | VE.Direct to RS232 interface                                                         | ASS030520500     |  | ✓         |    | ZAR 532    |
|                                                                                     | Interfaces to connect a CAN-bus enabled battery to a Venus device                    |                  |  |           |    |            |
|                                                                                     | VE.Can to CAN-bus BMS type A Cable 1.8m                                              | ASS030710018     |  | ✓         |    | ZAR 276    |
|                                                                                     | VE.Can to CAN-bus BMS type A Cable 5m                                                | ASS030710050     |  | ✓         |    | ZAR 276    |
|                                                                                     | VE.Can to CAN-bus BMS type B Cable 1.8m                                              | ASS030720018     |  | ✓         |    | ZAR 276    |
|                                                                                     | VE.Can to CAN-bus BMS type B Cable 5m                                                | ASS030720050     |  | ✓         |    | ZAR 276    |
|                                                                                     | Interfaces to connect Victron products to each other                                 |                  |  |           |    |            |
|                                                                                     | VE.Can RJ45 terminator (bag of 2)                                                    | ASS030700000     |  | ✓         |    | ZAR 193    |
|                                                                                     | VE.Bus to VE.Can interface                                                           | ASS030520115     |  | ✓         |    | ZAR 2,774  |
|                                                                                     | Inverting remote on-off cable                                                        | ASS030550120     |  | ✓         |    | ZAR 293    |
|  | Non-inverting remote on-off cable                                                    | ASS030550220     |  | ✓         |    | ZAR 293    |
|                                                                                     | VE.Direct non inverting remote on-off cable                                          | ASS030550320     |  | ✓         |    | ZAR 366    |
|                                                                                     | VE.Bus BMS to BMS 12-200 alternator control cable                                    | ASS030510120     |  | ✓         |    | ZAR 602    |
|                                                                                     | Skylla-i remote on-off cable                                                         | ASS030550400     |  | ✓         |    | ZAR 420    |
|                                                                                     | RJ45-splitter 1xRJ45 male/15cm cable/2xRJ45 female                                   | ASS030065510     |  | ✓         |    | ZAR 368    |
|                                                                                     | Miscellaneous                                                                        |                  |  |           |    |            |
|                                                                                     | AC Current sensor                                                                    | CSE000100000     |  | ✓         |    | ZAR 963    |
|                                                                                     | Current Transformer 100A:50mA for MultiPlus-II (1m)                                  | CTR110000500     |  | ✓         |    | ZAR 527    |
|                                                                                     | Current Transformer 100A:50mA for MultiPlus-II (5m)                                  | CTR110000550     |  | ✓         |    | ZAR 589    |
|                                                                                     | Current Transformer 100A:50mA for MultiPlus-II (20 m)                                | CTR110002050     |  | ✓         |    | ZAR 1,055  |
|  | Current Transf. 100A:50mA for MultiPlus-II (1m) Wire-end                             | CTR120000500     |  | ✓         |    | ZAR 527    |
|                                                                                     | Current Transf. 100A:50mA for MultiPlus-II (5m) Wire-end                             | CTR120000550     |  | ✓         |    | ZAR 589    |
|                                                                                     | Current Transf. 100A:50mA for MultiPlus-II (20m) Wire-end                            | CTR120002050     |  | ✓         |    | ZAR 1,055  |
|                                                                                     | Current Transf. 400A:50mA for MultiPlus-II (10m) Wire-end                            | CTR140050100     |  | ✓         |    | ZAR 766    |
|                                                                                     | Temperature sensor QUA/PMP/Venus GX                                                  | ASS000001000     |  | ✓         |    | ZAR 397    |
|                                                                                     | Temperature sensor type C (for Inverter RS)                                          | ASS000020000     |  | ✓         |    | ZAR 397    |
|                                                                                     | Temperature sensor for BMV-702/712                                                   | ASS000100000     |  | ✓         |    | ZAR 613    |
|                                                                                     | Pre-charge cable                                                                     | ASS070400100     |  | ✓         |    | ZAR 701    |
|                                                                                     | DIN35 adapter small (per pair)                                                       | ADA500100100     |  | ✓         |    | ZAR 284    |
|                                                                                     | For: Cerbo GX, (Smart) MPPT 100/20, Orion -Tr 24/12-10/15/20 non isolated            |                  |  |           |    |            |
|  | DIN35 adapter medium (per pair)                                                      | ADA500140100     |  | ✓         |    | ZAR 312    |
|                                                                                     | For MPPT 100/30-50 & 150/35- & Orion (Smart) 220/240/280/360/400W                    |                  |  |           |    |            |
|                                                                                     | DIN35 adapter large (per pair)                                                       | ADA500180100     |  | ✓         |    | ZAR 340    |
|                                                                                     | For MPPT 75/10-15 & 100/15 & Orion 110/120W                                          |                  |  |           |    |            |



Article number with suffix (R): also available in retail packaging  
Article number with suffix R: available in retail packaging only

2026-Q1

ZAR C

## DATA CABLES and INTERFACES, continued

|                                                                                   |                                                                                                                                                                      |              | H x W x D       | € | kg |            |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------|---|----|------------|
|  | <b>VE.Direct Bluetooth Smart dongle</b>                                                                                                                              | ASS030536011 |                 | ✓ |    | ZAR 780    |
|                                                                                   | For iPhone and Android. For monitoring as well as product set-up)<br>(BMV-70X series, VE.Direct inverters, BlueSolar MPPT solar charge controllers, Peak Power Pack) |              |                 |   |    |            |
|  | <b>VE.Bus Smart dongle</b>                                                                                                                                           | ASS030537010 |                 | ✓ |    | ZAR 1,839  |
|                                                                                   |                                                                                                                                                                      |              |                 |   |    |            |
|  | <b>Ziehl anti-islanding relay:</b>                                                                                                                                   |              |                 |   |    |            |
|                                                                                   | <b>Anti-islanding relay UFR1001E</b>                                                                                                                                 | REL100100000 |                 | ✓ |    | ZAR 16,182 |
|  | Fulfills the requirements of VDE-AR-N 4105, ÖVE/ÖNORM E 8001-4-712, G59/3 and G83/2, DIN V VDE V 0126-1-1, ERDF-NOI-RES_13E                                          |              |                 |   |    |            |
|                                                                                   | <b>Energy Meter ET112 - 1 phase - max 100A</b>                                                                                                                       | REL300100000 |                 | ✓ |    | ZAR 876    |
|  | <b>Energy Meter ET340 - 3 phase - max 65A/phase</b>                                                                                                                  | REL300300000 |                 | ✓ |    | ZAR 1,541  |
|                                                                                   | <b>Energy Meter EM540 - 3 phase - max 65A/phase</b>                                                                                                                  | REL200100100 |                 | ✓ |    | ZAR 2,067  |
|  | <b>Energy Meter EM24 - 3 phase - max 65A/ph Ethernet</b>                                                                                                             | REL200200100 |                 | ✓ |    | ZAR 1,961  |
|                                                                                   | (Carlo Gavazzi ET112-DIN AV01.X.S1.X, ET340-DIN AV23.X.S1.X, resp. EM24DINAV93XISX)                                                                                  |              |                 |   |    |            |
|  | <b>Energy Meter VM-3P75CT</b>                                                                                                                                        | REL200300100 |                 | ✓ |    | ZAR 3,371  |
|                                                                                   | <b>RS485 to USB interface cable 1,8 m</b>                                                                                                                            | ASS030572018 |                 | ✓ |    | ZAR 543    |
|  | <b>RS485 to USB interface cable 5 m</b>                                                                                                                              | ASS030572050 |                 | ✓ |    | ZAR 613    |
|                                                                                   | <b>Zigbee to RS485 converter</b>                                                                                                                                     | ASS300420100 |                 | ✓ |    | ZAR 2,224  |
|  | <b>Zigbee to USB converter</b>                                                                                                                                       | ASS300420200 |                 | ✓ |    | ZAR 1,926  |
|                                                                                   | <b>Anti-islanding box 63A single and three phase</b>                                                                                                                 | RCD000300200 | 230 x 380 x 100 | ✓ |    | ZAR 22,890 |

## BATTERY MONITOR BMV


|                                                                                     |                                                                                                            |                  |                |   |     |            |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|------------------|----------------|---|-----|------------|
|    | <b>Battery Monitor BMV-700</b>                                                                             | BAM010700000 (R) | 65 x 65 x 30   | ✓ | 0.3 | ZAR 1,953  |
|                                                                                     | <b>Battery Monitor BMV-702</b>                                                                             | BAM010702000 (R) | 65 x 65 x 30   | ✓ | 0.3 | ZAR 2,426  |
|    | <b>Battery Monitor BMV-702 BLACK</b>                                                                       | BAM010702200 (R) | 65 x 65 x 30   | ✓ | 0.3 | ZAR 2,426  |
|                                                                                     | <b>Battery Monitor BMV-712 Smart</b>                                                                       | BAM030712000 (R) | 65 x 65 x 30   | ✓ | 0.3 | ZAR 2,802  |
|    | <b>Battery Monitor BMV-712 BLACK Smart</b>                                                                 | BAM030712200 (R) | 65 x 65 x 30   | ✓ | 0.3 | ZAR 2,802  |
|                                                                                     | <b>Battery Monitor BMV-700H (70 - 350 VDC)</b>                                                             | BAM010700100     |                | ✓ |     | ZAR 9,940  |
|    | <b>Battery Monitor BMV-710H Smart (70 - 350 VDC)</b>                                                       | BAM030710100     |                | ✓ |     | ZAR 10,406 |
|                                                                                     | With 500A shunt in plastic enclosure and connection kit. Suitable for systems with grounded negative only. |                  |                |   |     |            |
|    | <b>Temperature sensor for BMV-702/712</b>                                                                  | ASS000100000     |                | ✓ |     | ZAR 613    |
|                                                                                     | <b>Smartshunt 300A</b>                                                                                     | SHU050130050     | 44 x 120 x 44  | ✓ |     | ZAR 1,401  |
|    | <b>Smartshunt 500A</b>                                                                                     | SHU050150050     | 46 x 120 x 54  | ✓ |     | ZAR 1,962  |
|                                                                                     | <b>Smartshunt 1000A</b>                                                                                    | SHU050210050     | 68 x 120 x 54  | ✓ |     | ZAR 3,252  |
|    | <b>Smartshunt 2000A</b>                                                                                    | SHU050220050     | 68 x 120 x 76  | ✓ |     | ZAR 4,435  |
|                                                                                     | <b>Smartshunt 300A IP65</b>                                                                                | SHU065130050     | 44 x 120 x 38  | ✓ |     | ZAR 1,401  |
|    | <b>Smartshunt 500A IP65</b>                                                                                | SHU065150050     | 46 x 120 x 54  | ✓ |     | ZAR 1,962  |
|                                                                                     | <b>Smartshunt 1000A IP65</b>                                                                               | SHU065210050     | 68 x 120 x 54  | ✓ |     | ZAR 3,252  |
|    | <b>Smartshunt 2000A IP65</b>                                                                               | SHU065220050     | 68 x 120 x 76  | ✓ |     | ZAR 4,435  |
|                                                                                     | <b>Shunt 500A/50mV</b>                                                                                     | SHU500050100     | 45 x 28 x 120  | ✓ |     | ZAR 437    |
|    | <b>Shunt 1000A/50mV</b>                                                                                    | SHU102050200     | 80 x 30 x 168  | ✓ |     | ZAR 1,455  |
|                                                                                     | <b>Shunt 2000A/50mV</b>                                                                                    | SHU202050200     | 80 x 50 x 168  | ✓ |     | ZAR 2,280  |
|    | <b>Shunt 6000A/50mV</b>                                                                                    | SHU602050200     | 135 x 60 x 168 | ✓ |     | ZAR 4,002  |
|                                                                                     |                                                                                                            |                  |                |   |     |            |
|  | <b>Smartshunt 500A/50mV</b>                                                                                |                  |                |   |     |            |
|  | <b>Shunt 1000A/50mV</b>                                                                                    |                  |                |   |     |            |
|  | <b>Shunt 2000A/50mV</b>                                                                                    |                  |                |   |     |            |
|  | <b>Shunt 6000A/50mV</b>                                                                                    |                  |                |   |     |            |

## BATTERY ISOLATORS

|                                                                                     |                                                                                                              |                  |                |   |     |           |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|------------------|----------------|---|-----|-----------|
|  | <b>Diode Isolators with alternator energize input ("AC" models only) and compensation diode (all models)</b> |                  |                |   |     |           |
|                                                                                     | <b>Argodiode 80-2SC 2 batteries 80A</b>                                                                      | ARG080202000 (R) | 60 x 120 x 75  | ✓ | 0.5 | ZAR 771   |
|  | <b>Argodiode 80-2AC 2 batteries 80A</b>                                                                      | ARG080201000 (R) | 60 x 120 x 90  | ✓ | 0.6 | ZAR 981   |
|                                                                                     | <b>Argodiode 100-3AC 3 batteries 100A</b>                                                                    | ARG100301000R    | 60 x 120 x 115 | ✓ | 0.8 | ZAR 1,331 |
|  | <b>Argodiode 120-2AC 2 batteries 120A</b>                                                                    | ARG120201020R    | 60 x 120 x 115 | ✓ | 0.8 | ZAR 1,489 |
|                                                                                     | <b>Argodiode 140-3AC 3 batteries 140A</b>                                                                    | ARG140301020R    | 60 x 120 x 150 | ✓ | 1.1 | ZAR 1,874 |
|  | <b>Argodiode 160-2AC 2 batteries 160A</b>                                                                    | ARG160201020     | 60 x 120 x 150 | ✓ | 1.1 | ZAR 1,769 |
|                                                                                     | <b>Argodiode 180-3AC 3 batteries 180A</b>                                                                    | ARG180301020     | 60 x 120 x 200 | ✓ | 1.5 | ZAR 2,154 |
|  | <b>FET Isolators with alternator energize input</b>                                                          |                  |                |   |     |           |
|                                                                                     | <b>Argofet 100-2 Two batteries 100A</b>                                                                      | ARG100201020 (R) | 65 x 120 x 200 | ✓ | 1.4 | ZAR 1,961 |
|  | <b>Argofet 100-3 Three batteries 100A</b>                                                                    | ARG100301020 (R) | 65 x 120 x 200 | ✓ | 1.4 | ZAR 2,259 |
|                                                                                     | <b>Argofet 200-2 Two batteries 200A</b>                                                                      | ARG200201020 (R) | 65 x 120 x 200 | ✓ | 1.4 | ZAR 2,347 |
|  | <b>Argofet 200-3 Three batteries 200A</b>                                                                    | ARG200301020 (R) | 65 x 120 x 200 | ✓ | 1.4 | ZAR 2,750 |
|                                                                                     | <b>Microprocessor controlled battery combiner/isolators</b>                                                  |                  |                |   |     |           |
|  | <b>Cyrix-ct 12/24V-120A intelligent combiner</b>                                                             | CYR010120011 (R) | 46 x 46 x 80   | ✓ | 0.1 | ZAR 963   |
|                                                                                     | <b>Cyrix-ct 12/24V-120A Battery combiner kit</b>                                                             | CYR010120110R    | 46 x 46 x 80   | ✓ | 0.1 | ZAR 1,909 |
|  | <b>Cyrix-ct 12/24V-230A intelligent combiner</b>                                                             | CYR010230010 (R) | 65 x 100 x 50  | ✓ | 0.3 | ZAR 2,364 |
|                                                                                     | <b>Cyrix-i 12/24V-400A intelligent combiner</b>                                                              | CYR010400000     | 78 x 102 x 110 | ✓ | 0.9 | ZAR 5,061 |
|  | <b>Cyrix-i 24/48V-400A intelligent combiner</b>                                                              | CYR020400000     | 78 x 102 x 110 | ✓ | 0.9 | ZAR 5,061 |
|                                                                                     | <b>Diode Battery Combiner</b>                                                                                |                  |                |   |     |           |
|  | <b>BCD 402 2 batteries 40A</b>                                                                               | BCD000402000     | 60 x 120 x 75  | ✓ | 0.6 | ZAR 721   |
|                                                                                     | <b>BCD 802 2 batteries 80A</b>                                                                               | BCD000802000     | 60 x 120 x 75  | ✓ | 0.8 | ZAR 886   |
|  | <b>Battery Protection</b>                                                                                    |                  |                |   |     |           |
|                                                                                     | <b>Battery balancer</b>                                                                                      | BBA000100100     | 100 x 113 x 47 | ✓ | 0.6 | ZAR 950   |
|  | <b>BatteryProtect 12/24V 65A</b>                                                                             | BPR000065400     | 40 x 48 x 106  | ✓ | 0.2 | ZAR 711   |
|                                                                                     | <b>BatteryProtect 12/24V-100A</b>                                                                            | BPR000100400     | 59 x 42 x 115  | ✓ | 0.6 | ZAR 1,043 |
|  | <b>BatteryProtect 12/24V-220A</b>                                                                            | BPR000220400     | 62 x 123 x 120 | ✓ | 0.8 | ZAR 1,723 |
|                                                                                     | <b>BatteryProtect 48V-100A</b>                                                                               | BPR048100400     | 62 x 123 x 120 | ✓ | 0.8 | ZAR 2,355 |
|  | <b>Smart BatteryProtect 12/24V 65A</b>                                                                       | BPR065022000     | 40 x 48 x 106  | ✓ | 0.2 | ZAR 1,059 |
|                                                                                     | <b>Smart BatteryProtect 12/24V-100A</b>                                                                      | BPR110022000     | 59 x 42 x 115  | ✓ | 0.6 | ZAR 1,391 |
|  | <b>Smart BatteryProtect 12/24V-220A</b>                                                                      | BPR122022000     | 62 x 123 x 120 | ✓ | 0.8 | ZAR 2,071 |
|                                                                                     | <b>Smart BatteryProtect 48V-100A</b>                                                                         | BPR110048000     | 62 x 123 x 120 | ✓ | 0.8 | ZAR 2,703 |



## SOLAR CHARGE CONTROLLERS

|                                                                                     |                                                             |               | H x W x D       | € | kg  |            |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------|---------------|-----------------|---|-----|------------|
|    | SmartSolar MPPT RS 450/100-MC4                              | SCC145110510  | 440 x 313 x 126 | ✓ | 8.0 | ZAR 21,742 |
|                                                                                     | SmartSolar MPPT RS 450/200-MC4                              | SCC145120510  | 487 x 434 x 146 | ✓ | 14  | ZAR 38,048 |
|                                                                                     | BlueSolar PWM-Light 12/24V-5A                               | SCC010005000  | 70 x 133 x 34   | ✓ | 0.2 | ZAR 343    |
|                                                                                     | BlueSolar PWM-Light 12/24V-10A                              | SCC010010000  | 70 x 133 x 34   | ✓ | 0.2 | ZAR 405    |
|    | BlueSolar PWM-Light 12/24V-20A                              | SCC010020020  | 70 x 133 x 34   | ✓ | 0.2 | ZAR 539    |
|                                                                                     | BlueSolar PWM-Light 12/24V-30A                              | SCC010030020  | 70 x 133 x 34   | ✓ | 0.2 | ZAR 748    |
|                                                                                     | BlueSolar PWM-LCD&USB 12/24V-5A                             | SCC010005050  | 96 x 169 x 36   | ✓ | 0.2 | ZAR 478    |
|                                                                                     | BlueSolar PWM-LCD&USB 12/24V-10A                            | SCC010010050  | 96 x 169 x 36   | ✓ | 0.2 | ZAR 539    |
|    | BlueSolar PWM-LCD&USB 12/24V-20A                            | SCC010020050  | 96 x 169 x 36   | ✓ | 0.2 | ZAR 674    |
|                                                                                     | BlueSolar PWM DUO-LCD&USB 12/24V-20A                        | SCC010020060  | 102 x 184 x 48  | ✓ | 0.2 | ZAR 1,103  |
|                                                                                     | BlueSolar PWM-LCD&USB 12/24V-30A                            | SCC010030050  | 102 x 184 x 48  | ✓ | 0.2 | ZAR 883    |
|                                                                                     | BlueSolar PWM-LCD&USB 48V-10A                               | SCC040010050  | 102 x 184 x 48  | ✓ | 0.2 | ZAR 602    |
|    | BlueSolar PWM-LCD&USB 48V-20A                               | SCC040020050  | 102 x 184 x 48  | ✓ | 0.2 | ZAR 715    |
|                                                                                     | BlueSolar PWM-LCD&USB 48V-30A                               | SCC040030050  | 102 x 184 x 48  | ✓ | 0.2 | ZAR 813    |
|                                                                                     | BlueSolar PWM-Pro 12/24V-5A                                 | SCC010005010  | 70 x 138 x 37   | ✓ | 0.2 | ZAR 478    |
|                                                                                     | BlueSolar PWM-Pro 12/24V-10A                                | SCC010010010  | 70 x 138 x 37   | ✓ | 0.2 | ZAR 539    |
|    | BlueSolar PWM-Pro 12/24V-20A                                | SCC010020110  | 82 x 160 x 48   | ✓ | 0.3 | ZAR 944    |
|                                                                                     | BlueSolar PWM-Pro 12/24V-30A                                | SCC010030010  | 100 x 200 x 57  | ✓ | 0.5 | ZAR 1,483  |
|                                                                                     | Remote panel for BlueSolar PWM-Pro                          | SCC900300000  | 49 x 113 x 113  | ✓ | 0.2 | ZAR 809    |
|                                                                                     | Temperature sensor for BlueSolar PWM-Pro                    | SCC940100100  |                 | ✓ |     | ZAR 216    |
|   | BlueSolar PWM-Pro to USB interface cable                    | SCC940100200  |                 | ✓ |     | ZAR 216    |
|                                                                                     | BlueSolar MPPT 75/10                                        | SCC010010050R | 100 x 113 x 40  | ✓ | 0.4 | ZAR 844    |
|                                                                                     | BlueSolar MPPT 75/15                                        | SCC010015050R | 100 x 113 x 40  | ✓ | 0.5 | ZAR 939    |
|                                                                                     | BlueSolar MPPT 100/15                                       | SCC010015200R | 100 x 113 x 47  | ✓ | 0.6 | ZAR 1,208  |
|  | BlueSolar MPPT 100/20 (up to 48V)                           | SCC110020170R | 100 x 113 x 50  | ✓ | 0.7 | ZAR 1,427  |
|                                                                                     | BlueSolar MPPT 100/30                                       | SCC020030200  | 130 x 186 x 70  | ✓ | 1.3 | ZAR 2,196  |
|                                                                                     | BlueSolar MPPT 100/50                                       | SCC020050200  | 130 x 186 x 70  | ✓ | 1.3 | ZAR 3,294  |
|                                                                                     | BlueSolar MPPT 150/35                                       | SCC020035000  | 130 x 186 x 70  | ✓ | 1.3 | ZAR 3,294  |
|  | BlueSolar MPPT 150/45                                       | SCC115045222  | 130 x 186 x 70  | ✓ | 1.3 | ZAR 3,953  |
|                                                                                     | BlueSolar MPPT 150/60-Tr                                    | SCC010060200  | 200 x 250 x 95  | ✓ | 3.0 | ZAR 6,261  |
|                                                                                     | BlueSolar MPPT 150/60-MC4                                   | SCC010060300  | 200 x 250 x 95  | ✓ | 3.0 | ZAR 6,261  |
|                                                                                     | BlueSolar MPPT 150/70-Tr                                    | SCC010070200  | 200 x 250 x 95  | ✓ | 3.0 | ZAR 6,887  |
|  | BlueSolar MPPT 150/70-MC4                                   | SCC010070300  | 200 x 250 x 95  | ✓ | 3.0 | ZAR 6,898  |
|                                                                                     | BlueSolar MPPT 150/100-Tr VE.Can                            | SCC115110420  | 216 x 295 x 103 | ✓ | 4.5 | ZAR 9,767  |
|                                                                                     | BlueSolar MPPT 250/70-Tr VE.Can                             | SCC125070441  | 200 x 250 x 95  | ✓ | 3.0 | ZAR 9,767  |
|                                                                                     | BlueSolar MPPT 250/100-Tr VE.Can                            | SCC125110441  | 216 x 295 x 103 | ✓ | 4.5 | ZAR 11,964 |
|  | SmartSolar MPPT 75/10                                       | SCC075010060R | 100 x 113 x 40  | ✓ | 0.4 | ZAR 1,157  |
|                                                                                     | SmartSolar MPPT 75/15                                       | SCC075015060R | 100 x 113 x 40  | ✓ | 0.5 | ZAR 1,252  |
|                                                                                     | SmartSolar MPPT 100/15                                      | SCC110015060R | 100 x 113 x 47  | ✓ | 0.6 | ZAR 1,537  |
|                                                                                     | SmartSolar MPPT 100/20 (up to 48V)                          | SCC110020160R | 100 x 113 x 50  | ✓ | 0.7 | ZAR 1,757  |
|  | SmartSolar MPPT 100/30                                      | SCC110030210  | 130 x 186 x 70  | ✓ | 1.3 | ZAR 2,526  |
|                                                                                     | SmartSolar MPPT 100/50                                      | SCC110050210  | 130 x 186 x 70  | ✓ | 1.3 | ZAR 3,624  |
|                                                                                     | SmartSolar MPPT 150/35                                      | SCC115035210  | 130 x 186 x 70  | ✓ | 1.3 | ZAR 3,624  |
|                                                                                     | SmartSolar MPPT 150/45                                      | SCC115045212  | 130 x 186 x 70  | ✓ | 1.3 | ZAR 4,282  |
|  | SmartSolar MPPT 150/60-Tr                                   | SCC115060211  | 200 x 250 x 95  | ✓ | 3.0 | ZAR 6,887  |
|                                                                                     | SmartSolar MPPT 150/60-MC4                                  | SCC115060311  | 200 x 250 x 95  | ✓ | 3.0 | ZAR 6,887  |
|                                                                                     | SmartSolar MPPT 150/70-Tr                                   | SCC115070211  | 200 x 250 x 95  | ✓ | 3.0 | ZAR 7,513  |
|                                                                                     | SmartSolar MPPT 150/70-Tr VE.Can                            | SCC115070411  | 200 x 250 x 95  | ✓ | 3.0 | ZAR 8,139  |
|  | SmartSolar MPPT 150/70-MC4 VE.CAN                           | SCC115070511  | 200 x 250 x 95  | ✓ | 3.0 | ZAR 8,139  |
|                                                                                     | SmartSolar MPPT 150/85-Tr VE.Can                            | SCC115085411  | 216 x 295 x 103 | ✓ | 4.5 | ZAR 8,891  |
|                                                                                     | SmartSolar MPPT 150/85-MC4 VE.Can                           | SCC115085511  | 216 x 295 x 103 | ✓ | 4.5 | ZAR 9,084  |
|                                                                                     | SmartSolar MPPT 150/100-Tr VE.Can                           | SCC115110411  | 216 x 295 x 103 | ✓ | 4.5 | ZAR 10,143 |
|  | SmartSolar MPPT 150/100-MC4 VE.Can                          | SCC115110511  | 216 x 295 x 103 | ✓ | 4.5 | ZAR 10,336 |
|                                                                                     | SmartSolar MPPT 250/60-Tr                                   | SCC125060221  | 200 x 250 x 95  | ✓ | 3.0 | ZAR 8,139  |
|                                                                                     | SmartSolar MPPT 250/60-MC4                                  | SCC125060321  | 200 x 250 x 95  | ✓ | 3.0 | ZAR 8,139  |
|                                                                                     | SmartSolar MPPT 250/70-Tr                                   | SCC125070221  | 200 x 250 x 95  | ✓ | 3.0 | ZAR 9,391  |
|  | SmartSolar MPPT 250/70-Tr VE.Can                            | SCC125070421  | 200 x 250 x 95  | ✓ | 3.0 | ZAR 10,018 |
|                                                                                     | SmartSolar MPPT 250/70-MC4 VE.Can                           | SCC125070521  | 200 x 250 x 95  | ✓ | 3.0 | ZAR 10,018 |
|                                                                                     | SmartSolar MPPT 250/85-Tr VE.Can                            | SCC125085411  | 216 x 295 x 103 | ✓ | 4.5 | ZAR 10,769 |
|                                                                                     | SmartSolar MPPT 250/85-MC4 VE.Can                           | SCC125085511  | 216 x 295 x 103 | ✓ | 4.5 | ZAR 10,962 |
|  | SmartSolar MPPT 250/100-Tr VE.Can                           | SCC125110412  | 216 x 295 x 103 | ✓ | 4.5 | ZAR 12,021 |
|                                                                                     | SmartSolar MPPT 250/100-MC4 VE.Can                          | SCC125110512  | 216 x 295 x 103 | ✓ | 4.5 | ZAR 12,215 |
|                                                                                     | Inverting remote on-off cable                               | ASS030550120  |                 | ✓ |     | ZAR 293    |
|                                                                                     | VE.Direct TX digital output cable (PWM light dimming cable) | ASS030550500  |                 | ✓ |     | ZAR 183    |
|  | SmartSolar Pluggable Display                                | SCC900650010  |                 | ✓ |     | ZAR 626    |
|                                                                                     | MPPT Control (VE.Direct cable not included)                 | SCC900650000  | 65 x 65 x 30    | ✓ | 0.3 | ZAR 1,002  |
|                                                                                     | VE.Direct non inverting remote on-off cable                 | ASS030550320  |                 | ✓ |     | ZAR 366    |
|                                                                                     | Smart Battery Sense long range (up to 10m)                  | SBS050150200  |                 | ✓ |     | ZAR 771    |





## Pay-as-you-go enabled solar home systems



SHS 200 MPPT v3.0

|                              |              | H x W x D       | € | kg  |           |
|------------------------------|--------------|-----------------|---|-----|-----------|
| SHS 200 MPPT v3.0 MC4        | SHS121409230 | 148 x 204 x 67  | ✓ | 0.4 | ZAR 1,597 |
| Solar cable for SHS 200 5mtr | SHS900120050 |                 | ✓ |     | ZAR 224   |
| Battery Box for SHS 200      | SHS800300300 | 268 x 207 x 364 | ✓ |     | ZAR 841   |

## Wireboxes for Solar Charge Controllers



|                                                  |              |   |  |         |
|--------------------------------------------------|--------------|---|--|---------|
| MPPT WireBox-S 75-10/15 (for 75-10 & 75/15)      | SCC950100000 | ✓ |  | ZAR 455 |
| MPPT WireBox-S 100-15 (for 100/15)               | SCC950120000 | ✓ |  | ZAR 455 |
| MPPT WireBox-S 100-20 (for 100/20)               | SCC950140000 | ✓ |  | ZAR 455 |
| MPPT WireBox-M (for models with h=130mm)         | SCC950200000 | ✓ |  | ZAR 578 |
| MPPT WireBox-L Tr (for Tr models, h=200mm)       | SCC950300210 | ✓ |  | ZAR 701 |
| MPPT WireBox-L MC4 (for MC4 models, h=200mm)     | SCC950300310 | ✓ |  | ZAR 701 |
| MPPT WireBox-XL Tr (for Tr & Tr VE.can, h=216mm) | SCC950400210 | ✓ |  | ZAR 701 |
| MPPT WireBox-XL MC4 (for MC4 models, h=216mm)    | SCC950400310 | ✓ |  | ZAR 701 |

## SOLAR PANELS



Monocrystalline panel

|                                                   |              | H x W x D | € | cells | kg  |           |
|---------------------------------------------------|--------------|-----------|---|-------|-----|-----------|
| 20W-12V Mono 440x350x25mm series 4a* (min 5pcs)   | SPM040201200 | ✓         | ★ | 36    | 1.9 | ZAR 536   |
| 30W-12V Mono 560x350x25mm series 4a* (min 5pcs)   | SPM040301200 | ✓         | ★ | 36    | 2.2 | ZAR 616   |
| 30W - Mono 380x450x25mm series 4c (min 5pcs)      | SPM040303603 | ✓         | ★ | 36    | 1.8 | ZAR 616   |
| 40W-12V Mono 425x668x25mm series 4a* (min 5pcs)   | SPM040401200 | ✓         | ★ | 36    | 3.1 | ZAR 790   |
| 55W-12V Mono 545x668x25mm series 4a* (min 5pcs)   | SPM040551200 | ✓         | ★ | 36    | 4.0 | ZAR 1,042 |
| 55W - Mono 715x445x25mm series 4c (min 5pcs)      | SPM040553603 | ✓         | ★ | 36    | 3.4 | ZAR 1,042 |
| 90W-12V Mono 780x668x30mm series 4a (min 4pcs)    | SPM040901200 | ✓         | ★ | 36    | 6.1 | ZAR 1,576 |
| 95W - Mono 770x668x30mm series 4c (min 4pcs)      | SPM040953003 | ✓         | ★ | 36    | 5.4 | ZAR 1,576 |
| 130W-12V Mono 1200x668x30mm series 4a (min 4pcs)  | SPM041301200 | ✓         | ★ | 36    | 8.0 | ZAR 2,001 |
| 150W-12V Mono 1485x668x30mm series 4a (min 4pcs)  | SPM041501200 | ✓         | ★ | 36    | 9.0 | ZAR 2,002 |
| 185W-12V Mono 1485x668x30mm series 4a (min 4pcs)  | SPM041851200 | ✓         | ★ | 36    | 11  | ZAR 2,333 |
| 215W-24V Mono 1580x705x35mm series 4b (min 4pcs)  | SPM042152402 | ✓         | ★ | 72    | 12  | ZAR 2,840 |
| 305W-20V Mono 1658x1002x35mm series 4b (min 4pcs) | SPM043052002 | ✓         | ★ | 60    | 18  | ZAR 4,069 |
| 360W-24V Mono 1980x1002x40mm series 4b (min 4pcs) | SPM043602402 | ✓         | ★ | 72    | 23  | ZAR 3,895 |



Polycrystalline panel

|                                                   |              |   |   |    |     |           |
|---------------------------------------------------|--------------|---|---|----|-----|-----------|
| 20W-12V Poly 440x350x25mm series 4a* (min 5pcs)   | SPP040201200 | ✓ | ★ | 36 | 1.9 | ZAR 523   |
| 30W-12V Poly 565x350x25mm series 4a* (min 5pcs)   | SPP040301200 | ✓ | ★ | 36 | 2.8 | ZAR 603   |
| 45W-12V Poly 425x668x25mm series 4a* (min 5pcs)   | SPP040451200 | ✓ | ★ | 36 | 3.1 | ZAR 831   |
| 60W-12V Poly 545x668x25mm series 4a* (min 5pcs)   | SPP040601200 | ✓ | ★ | 36 | 4.0 | ZAR 971   |
| 130W-12V Poly 1200x668x30mm series 4a (min 4pcs)  | SPP041301200 | ✓ | ★ | 37 | 9.0 | ZAR 1,454 |
| 175W-12V Poly 1485x668x30mm series 4a (min 4pcs)  | SPP041751200 | ✓ | ★ | 36 | 11  | ZAR 1,764 |
| 280W-20V Poly 1650x992x35mm series 4a (min 4pcs)  | SPP042802000 | ✓ | ★ | 60 | 18  | ZAR 2,400 |
| 330W-24V Poly 1980x1002x40mm series 4b (min 4pcs) | SPP043302402 | ✓ | ★ | 72 | 23  | ZAR 2,631 |

\* without connection cable and MC4 connector

## SOLAR CABLES



Solar splitter pair MC4-Y

|                                                                                 |              |   |  |  |         |
|---------------------------------------------------------------------------------|--------------|---|--|--|---------|
| Solar Cable (4 mm²) with pre-assembled male and female MC4 (PV-ST01) connectors |              |   |  |  |         |
| Length 1 m                                                                      | SCA000100000 | ✓ |  |  | ZAR 135 |
| Length 3 m                                                                      | SCA000300000 | ✓ |  |  | ZAR 208 |
| Length 5 m                                                                      | SCA000500000 | ✓ |  |  | ZAR 294 |



Solar connector pair MC4

|                                                                                 |              |   |  |  |           |
|---------------------------------------------------------------------------------|--------------|---|--|--|-----------|
| Solar Cable (6 mm²) with pre-assembled male and female MC4 (PV-ST01) connectors |              |   |  |  |           |
| Length 1 m                                                                      | SCA000100100 | ✓ |  |  | ZAR 159   |
| Length 3 m                                                                      | SCA000300100 | ✓ |  |  | ZAR 245   |
| Length 5 m                                                                      | SCA000500100 | ✓ |  |  | ZAR 368   |
| Length 10 m                                                                     | SCA001000100 | ✓ |  |  | ZAR 788   |
| Length 20 m                                                                     | SCA002000100 | ✓ |  |  | ZAR 1,471 |

|                                                          |              |   |  |  |         |
|----------------------------------------------------------|--------------|---|--|--|---------|
| Solar adapter cable MC4 male to MC3 female, length 15 cm | SCA500100000 | ✓ |  |  | ZAR 135 |
| Solar adapter cable MC4 female to MC3 male, length 15 cm | SCA500200000 | ✓ |  |  | ZAR 135 |

|                                               |              |   |  |  |         |
|-----------------------------------------------|--------------|---|--|--|---------|
| Solar splitter pair MC4-Y, 1x M-2F / 1x F-2M  | SCA520500000 | ✓ |  |  | ZAR 254 |
| Solar connector pair MC4, 1x Male / 1x Female | SCA520300000 | ✓ |  |  | ZAR 175 |



Solar Cable with male and female MC4 connectors



MC4 male to MC3 female



MC4 female to MC3 male

## LITHIUM (LiFePO4) BATTERIES

H x W x D



kg

|  |                                                                           |              |                 |   |     |            |
|--|---------------------------------------------------------------------------|--------------|-----------------|---|-----|------------|
|  | LiFePO4 battery 12.8V/50Ah - Smart                                        | BAT512050610 | 199 x 187 x 147 | ✓ | 7.0 | ZAR 8,173  |
|  | LiFePO4 battery 12.8V/100Ah - Smart                                       | BAT512110610 | 197 x 321 x 152 | ✓ | 14  | ZAR 13,414 |
|  | LiFePO4 battery 12.8V/100Ah NG                                            | BAT512110620 | 235 x 197 x 160 | ✓ | 9.5 | ZAR 11,469 |
|  | LiFePO4 battery 12.8V/150Ah NG                                            | BAT512115620 | 205 x 250 x 205 | ✓ | 15  | ZAR 14,091 |
|  | LiFePO4 battery 12.8V/180Ah - Smart                                       | BAT512118610 | 237 x 321 x 152 | ✓ | 21  | ZAR 14,541 |
|  | LiFePO4 Battery 12.8V/200Ah - Smart                                       | BAT512120610 | 237 x 321 x 152 | ✓ | 20  | ZAR 19,639 |
|  | LiFePO4 Battery 12.8V/200Ah NG                                            | BAT512120620 | 235 x 341 x 160 | ✓ | 18  | ZAR 18,657 |
|  | LiFePO4 Battery 12.8V/300Ah NG                                            | BAT512130620 | 206 x 447 x 205 | ✓ | 28  | ZAR 29,220 |
|  | LiFePO4 Battery 25.6V/100Ah - Smart                                       | BAT524110610 | 197 x 650 x 163 | ✓ | 27  | ZAR 24,645 |
|  | LiFePO4 Battery 25.6V/100Ah NG                                            | BAT524110620 | 235 x 341 x 160 | ✓ | 19  | ZAR 20,603 |
|  | LiFePO4 Battery 25.6V/200Ah - Smart-a                                     | BAT524120610 | 237 x 650 x 163 | ✓ | 38  | ZAR 37,564 |
|  | LiFePO4 Battery 25.6V/200Ah NG                                            | BAT524120620 | 235 x 648 x 162 | ✓ | 37  | ZAR 35,686 |
|  | LiFePO4 Battery 25.6V/300Ah NG                                            | BAT524130620 | 206 x 841 x 205 | ✓ | 55  | ZAR 49,551 |
|  | LiFePO4 Battery 51.2V/100Ah NG                                            | BAT548110620 | 235 x 648 x 162 | ✓ | 37  | ZAR 39,255 |
|  | VE.Bus BMS                                                                | BMS300200000 | 30 x 105 x 72   | ✓ | 0.2 | ZAR 2,297  |
|  | VE.Bus BMS V2                                                             | BMS300200200 | 24 x 95 x 106   | ✓ | 0.2 | ZAR 3,061  |
|  | VE.Bus BMS NG                                                             | BMS300200300 | 24 x 95 x 106   | ✓ | 0.2 | ZAR 2,908  |
|  | smallBMS                                                                  | BMS400100000 | 43 x 106 x 23   | ✓ | 0.1 | ZAR 963    |
|  | smallBMS NG                                                               | BMS400100300 | 43 x 106 x 23   | ✓ | 0.1 | ZAR 1,581  |
|  | Inverting remote on-off cable                                             | ASS030550120 |                 | ✓ |     | ZAR 293    |
|  | Non-inverting remote on-off cable                                         | ASS030550220 |                 | ✓ |     | ZAR 293    |
|  | SolidSwitch 104                                                           | BMS800200104 | 23 x 67 x 58    | ✓ |     | ZAR 771    |
|  | VE.Bus BMS to BMS 12-200 alternator control cable                         | ASS030510120 |                 | ✓ |     | ZAR 602    |
|  | Cyrix-Li-load 12/24V-120A                                                 | CYR010120450 | 46 x 46 x 80    | ✓ | 0.1 | ZAR 1,278  |
|  | Cyrix-Li-load 24/48V-120A                                                 | CYR020120450 | 46 x 46 x 80    | ✓ | 0.1 | ZAR 1,278  |
|  | Cyrix-Li-Charge 12/24V-120A                                               | CYR010120430 | 46 x 46 x 80    | ✓ | 0.1 | ZAR 1,489  |
|  | Cyrix-Li-Charge 24/48V-120A                                               | CYR020120430 | 46 x 46 x 80    | ✓ | 0.1 | ZAR 1,489  |
|  | Cyrix-Li-ct 12/24V-120A combiner                                          | CYR010120412 | 46 x 46 x 80    | ✓ | 0.1 | ZAR 1,489  |
|  | Cyrix-Li-load 12/24V-230A                                                 | CYR010230450 | 65 x 100 x 50   | ✓ | 0.3 | ZAR 3,187  |
|  | Cyrix-Li-load 24/48V-230A                                                 | CYR020230450 | 65 x 100 x 50   | ✓ | 0.3 | ZAR 3,187  |
|  | Cyrix-Li-Charge 12/24V-230A                                               | CYR010230430 | 65 x 100 x 50   | ✓ | 0.3 | ZAR 3,187  |
|  | Cyrix-Li-Charge 24/48V-230A                                               | CYR020230430 | 65 x 100 x 50   | ✓ | 0.3 | ZAR 3,187  |
|  | Cyrix-Li-ct 12/24V-230A combiner                                          | CYR010230412 | 65 x 100 x 50   | ✓ | 0.3 | ZAR 3,187  |
|  | Smart BMS 12/200                                                          | BMS210055000 | 65 x 120 x 340  | ✓ | 1.8 | ZAR 4,575  |
|  | Smart BMS CL 12/100                                                       | BMS110022000 | 65 x 120 x 224  | ✓ | 1.6 | ZAR 2,965  |
|  | Cable for Smart BMS CL 12/100                                             | ASS070200100 |                 | ✓ |     | ZAR 327    |
|  | Cables with M8 circular connector (for Li-ion batteries): see DATA CABLES |              |                 |   |     |            |
|  | Victron Peak Power Pack 12.8V/20Ah 256Wh                                  | PPP012020000 | 132 x 190 x 172 | ✓ | 3.8 | ZAR 7,487  |
|  | Victron Peak Power Pack 12.8V/30Ah 384Wh                                  | PPP012030000 | 172 x 190 x 172 | ✓ | 5.4 | ZAR 10,387 |
|  | Victron Peak Power Pack 12.8V/40Ah 512Wh                                  | PPP012040000 | 212 x 190 x 172 | ✓ | 8.6 | ZAR 12,988 |
|  | Lithium SuperPack 12.8V/20Ah (M5)                                         | BAT512020705 | 167 x 181 x 77  | ✓ | 3.5 | ZAR 3,349  |
|  | Lithium SuperPack 12.8V/60Ah (M6)                                         | BAT512060705 | 213 x 229 x 138 | ✓ | 9.5 | ZAR 7,562  |
|  | Lithium SuperPack 12.8V/100Ah-a (M8)                                      | BAT512110712 | 220 x 330 x 172 | ✓ | 14  | ZAR 9,015  |
|  | Lithium SuperPack 12.8V/200Ah (M8)                                        | BAT512120705 | 208 x 520 x 269 | ✓ | 21  | ZAR 15,892 |
|  | Lithium SuperPack 25.6V/50Ah (M8)                                         | BAT524050705 | 220 x 330 x 172 | ✓ | 14  | ZAR 14,328 |
|  |                                                                           |              |                 |   |     |            |
|  |                                                                           |              |                 |   |     |            |
|  |                                                                           |              |                 |   |     |            |
|  |                                                                           |              |                 |   |     |            |
|  |                                                                           |              |                 |   |     |            |



| APPENDIX                                                                          | INVERTERS: ALTERNATIVE OUTLETS                                                    |                               | H x W x D       | ⏚               | kg  |           |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------|-----------------|-----------------|-----|-----------|
|                                                                                   | 230VAC/50Hz Sinewave                                                              |                               |                 |                 |     |           |
|  | Inverter 12/250 VE.Direct IEC                                                     | PIN121251100                  | 86 x 165 x 260  | ✓               | 2.4 | ZAR 1,707 |
|                                                                                   | Inverter 12/250 VE.Direct AU/NZ (AS/NZS 3112)                                     | PIN121251300                  | 86 x 165 x 260  | ✓               | 2.4 | ZAR 1,707 |
|                                                                                   | Inverter 12/250 VE.Direct UK (BS 1363)                                            | PIN121251400                  | 86 x 165 x 260  | ✓               | 2.4 | ZAR 1,707 |
|                                                                                   | Inverter 12/375 VE.Direct IEC                                                     | PIN121371100                  | 86 x 165 x 260  | ✓               | 3.0 | ZAR 2,201 |
|                                                                                   | Inverter 12/375 VE.Direct AU/NZ (AS/NZS 3112)                                     | PIN121371300                  | 86 x 165 x 260  | ✓               | 3.0 | ZAR 2,201 |
|                                                                                   | Inverter 12/375 VE.Direct UK (BS 1363)                                            | PIN121371400                  | 86 x 165 x 260  | ✓               | 3.0 | ZAR 2,201 |
|                                                                                   | Inverter 12/500 VE.Direct IEC                                                     | PIN121501100                  | 86 x 172 x 275  | ✓               | 3.9 | ZAR 2,755 |
|                                                                                   | Inverter 12/500 VE.Direct AU/NZ (AS/NZS 3112)                                     | PIN121501300                  | 86 x 172 x 275  | ✓               | 3.9 | ZAR 2,755 |
|                                                                                   | Inverter 12/500 VE.Direct UK (BS 1363)                                            | PIN121501400                  | 86 x 172 x 275  | ✓               | 3.9 | ZAR 2,755 |
|                                                                                   |  | Inverter 12/800 VE.Direct IEC | PIN121801100    | 105 x 216 x 305 | ✓   | 5.5       |
| Inverter 12/800 VE.Direct AU/NZ (AS/NZS 3112)                                     |                                                                                   | PIN121801300                  | 105 x 216 x 305 | ✓               | 5.5 | ZAR 4,474 |
| Inverter 12/800 VE.Direct UK (BS 1363)                                            |                                                                                   | PIN121801400                  | 105 x 216 x 305 | ✓               | 5.5 | ZAR 4,474 |
| Inverter 12/1200 VE.Direct IEC                                                    |                                                                                   | PIN122121100                  | 117 x 232 x 362 | ✓               | 8.5 | ZAR 5,259 |
| Inverter 12/1200 VE.Direct AU/NZ (AS/NZS 3112)                                    |                                                                                   | PIN122121300                  | 117 x 232 x 362 | ✓               | 8.5 | ZAR 5,259 |
| Inverter 12/1200 VE.Direct UK (BS 1363)                                           |                                                                                   | PIN122121410                  | 117 x 232 x 362 | ✓               | 8.5 | ZAR 5,254 |
| Inverter 12/1600 VE.Direct IEC                                                    |                                                                                   | PIN122161100                  | 117 x 231 x 395 | ✓               | 7.4 | ZAR 6,130 |
| Inverter 12/1600 VE.Direct AU/NZ                                                  |                                                                                   | PIN122161300                  | 117 x 231 x 395 | ✓               | 7.4 | ZAR 6,130 |
| Inverter 12/1600 VE.Direct UK                                                     |                                                                                   | PIN122161400                  | 117 x 231 x 395 | ✓               | 7.4 | ZAR 6,130 |
|                                                                                   |                                                                                   | Inverter 24/250 VE.Direct IEC | PIN241251100    | 86 x 165 x 260  | ✓   | 2.4       |
|                                                                                   | Inverter 24/250 VE.Direct AU/NZ (AS/NZS 3112)                                     | PIN241251300                  | 86 x 165 x 260  | ✓               | 2.4 | ZAR 1,897 |
|                                                                                   | Inverter 24/250 VE.Direct UK (BS 1363)                                            | PIN241251400                  | 86 x 165 x 260  | ✓               | 2.4 | ZAR 1,897 |
|                                                                                   | Inverter 24/375 VE.Direct IEC                                                     | PIN241371100                  | 86 x 165 x 260  | ✓               | 3.0 | ZAR 2,446 |
|                                                                                   | Inverter 24/375 VE.Direct AU/NZ (AS/NZS 3112)                                     | PIN241371300                  | 86 x 165 x 260  | ✓               | 3.0 | ZAR 2,446 |
|                                                                                   | Inverter 24/375 VE.Direct UK (BS 1363)                                            | PIN241371400                  | 86 x 165 x 260  | ✓               | 3.0 | ZAR 2,446 |
|                                                                                   | Inverter 24/500 VE.Direct IEC                                                     | PIN241501100                  | 86 x 172 x 275  | ✓               | 3.9 | ZAR 3,061 |
|                                                                                   | Inverter 24/500 VE.Direct AU/NZ (AS/NZS 3112)                                     | PIN241501300                  | 86 x 172 x 275  | ✓               | 3.9 | ZAR 3,061 |
|                                                                                   | Inverter 24/500 VE.Direct UK (BS 1363)                                            | PIN241501400                  | 86 x 172 x 275  | ✓               | 3.9 | ZAR 3,061 |
|                                                                                   |                                                                                   | Inverter 24/800 VE.Direct IEC | PIN241801100    | 105 x 216 x 305 | ✓   | 5.5       |
| Inverter 24/800 VE.Direct AU/NZ (AS/NZS 3112)                                     |                                                                                   | PIN241801300                  | 105 x 216 x 305 | ✓               | 5.5 | ZAR 4,971 |
| Inverter 24/800 VE.Direct UK                                                      |                                                                                   | PIN241801400                  | 105 x 216 x 305 | ✓               | 5.5 | ZAR 4,971 |
| Inverter 24/1200 VE.Direct IEC                                                    |                                                                                   | PIN242121100                  | 117 x 232 x 327 | ✓               | 7.4 | ZAR 6,245 |
| Inverter 24/1200 VE.Direct AU/NZ (AS/NZS 3112)                                    |                                                                                   | PIN242121300                  | 117 x 232 x 327 | ✓               | 7.4 | ZAR 6,245 |
| Inverter 24/1200 VE.Direct UK (BS 1363)                                           |                                                                                   | PIN242121400                  | 117 x 232 x 327 | ✓               | 7.4 | ZAR 6,245 |
| Inverter 48/250 VE.Direct IEC                                                     |                                                                                   | PIN481251100                  | 86 x 165 x 260  | ✓               | 2.4 | ZAR 1,897 |
| Inverter 48/250 VE.Direct AU/NZ (AS/NZS 3112)                                     |                                                                                   | PIN481251300                  | 86 x 165 x 260  | ✓               | 2.4 | ZAR 1,897 |
| Inverter 48/375 VE.Direct IEC                                                     |                                                                                   | PIN481371100                  | 86 x 165 x 260  | ✓               | 3.0 | ZAR 2,446 |
| Inverter 48/375 VE.Direct AU/NZ (AS/NZS 3112)                                     |                                                                                   | PIN481371300                  | 86 x 165 x 260  | ✓               | 3.0 | ZAR 2,446 |
|                                                                                   | Inverter 48/375 VE.Direct UK (BS 1363)                                            | PIN481371400                  | 86 x 165 x 260  | ✓               | 3.0 | ZAR 2,446 |
|                                                                                   | Inverter 48/500 VE.Direct IEC                                                     | PIN481501100                  | 86 x 172 x 275  | ✓               | 3.9 | ZAR 3,061 |
|                                                                                   | Inverter 48/500 VE.Direct AU/NZ (AS/NZS 3112)                                     | PIN481501300                  | 86 x 172 x 275  | ✓               | 3.9 | ZAR 3,061 |
|                                                                                   | Inverter 48/800 VE.Direct IEC                                                     | PIN481801100                  | 105 x 216 x 305 | ✓               | 5.5 | ZAR 4,971 |
|                                                                                   | Inverter 48/800 VE.Direct AU/NZ (AS/NZS 3112)                                     | PIN481801300                  | 105 x 216 x 305 | ✓               | 5.5 | ZAR 4,971 |
|                                                                                   | Inverter 48/800 VE.Direct UK (BS 1363)                                            | PIN481801400                  | 105 x 216 x 305 | ✓               | 5.5 | ZAR 4,971 |
|                                                                                   | Inverter 48/1200 VE.Direct IEC                                                    | PIN482121100                  | 117 x 232 x 327 | ✓               | 7.4 | ZAR 6,573 |

| APPENDIX                                                                          |               | BATTERY CHARGERS: ALTERNATIVE AC PLUGS |           |     |           |  |
|-----------------------------------------------------------------------------------|---------------|----------------------------------------|-----------|-----|-----------|--|
|                                                                                   |               |                                        | H x W x D | CEE | kg        |  |
| <b>1 output, natural convection cooling. With BS 1363 plug (UK)</b>               |               |                                        |           |     |           |  |
| Blue Smart IP65 Charger 6V/12V-1.1 + DC connector                                 | BPC120134024R | 36 x 65 x 149                          | ✓         | 0.4 | ZAR 1,040 |  |
| Blue Smart IP65s Charger 12/4 + DC connector                                      | BPC120433024R | 45 x 81 x 182                          | ✓         | 0.6 | ZAR 1,497 |  |
| Blue Smart IP65s Charger 12/5 + DC connector                                      | BPC120533024R | 45 x 81 x 182                          | ✓         | 0.6 | ZAR 1,664 |  |
| Blue Smart IP65 Charger 12/7 + DC connector                                       | BPC120731024R | 47 x 95 x 190                          | ✓         | 0.8 | ZAR 1,967 |  |
| Blue Smart IP65 Charger 12/10 + DC connector                                      | BPC121031024R | 60 x 105 x 190                         | ✓         | 0.9 | ZAR 2,327 |  |
| Blue Smart IP65 Charger 12/15 + DC connector                                      | BPC121531024R | 60 x 105 x 190                         | ✓         | 0.8 | ZAR 2,688 |  |
| Blue Smart IP65 Charger 12/25 + DC connector                                      | BPC122531024  | 75 x 140 x 240                         | ✓         | 1.9 | ZAR 3,762 |  |
| Blue Smart IP65 Charger 24/8 + DC connector                                       | BPC240831024R | 60 x 105 x 190                         | ✓         | 0.9 | ZAR 2,688 |  |
| Blue Smart IP65 Charger 24/13 + DC connector                                      | BPC241331024  | 75 x 140 x 240                         | ✓         | 1.9 | ZAR 3,762 |  |
| <b>1 output or 3 outputs, fan assisted cooling. With BS 1363 plug (UK)</b>        |               |                                        |           |     |           |  |
| Blue Smart IP22 Charger 12/15 (1)                                                 | BPC121542022  | 235 x 108 x 65                         | ✓         | 1.4 | ZAR 2,490 |  |
| Blue Smart IP22 Charger 12/15 (3)                                                 | BPC121544022  | 235 x 108 x 65                         | ✓         | 1.4 | ZAR 2,589 |  |
| Blue Smart IP22 Charger 12/20 (1)                                                 | BPC122042022  | 235 x 108 x 65                         | ✓         | 1.4 | ZAR 2,689 |  |
| Blue Smart IP22 Charger 12/20 (3)                                                 | BPC122043022  | 235 x 108 x 65                         | ✓         | 1.4 | ZAR 3,030 |  |
| Blue Smart IP22 Charger 12/30 (1)                                                 | BPC123047022  | 235 x 108 x 65                         | ✓         | 1.4 | ZAR 3,229 |  |
| Blue Smart IP22 Charger 12/30 (3)                                                 | BPC123048022  | 235 x 108 x 65                         | ✓         | 1.4 | ZAR 3,642 |  |
| Blue Smart IP22 Charger 24/12(1)                                                  | BPC241242022  | 235 x 108 x 65                         | ✓         | 1.4 | ZAR 2,775 |  |
| Blue Smart IP22 Charger 24/16 (1)                                                 | BPC241647022  | 235 x 108 x 65                         | ✓         | 1.4 | ZAR 3,311 |  |
| Blue Smart IP22 Charger 24/16 (3)                                                 | BPC241648022  | 235 x 108 x 65                         | ✓         | 1.4 | ZAR 3,752 |  |
| <b>1 output, natural convection cooling. With BS 1363 plug (UK)</b>               |               |                                        |           |     |           |  |
| Blue Smart IP67 Charger 12/7(1)                                                   | BPC120747026  | 85 x 211 x 60                          | ✓         | 1.8 | ZAR 1,846 |  |
| Blue Smart IP67 Charger 12/13(1)                                                  | BPC121347026  | 85 x 211 x 60                          | ✓         | 1.8 | ZAR 2,446 |  |
| Blue Smart IP67 Charger 12/17(1)                                                  | BPC121747026  | 99 x 219 x 65                          | ✓         | 2.4 | ZAR 2,695 |  |
| Blue Smart IP67 Charger 12/25(1)                                                  | BPC122547026  | 99 x 219 x 65                          | ✓         | 2.4 | ZAR 3,153 |  |
| Blue Smart IP67 Charger 24/12(1)                                                  | BPC241247026  | 99 x 219 x 65                          | ✓         | 2.4 | ZAR 3,153 |  |
| <b>1 output, natural convection cooling. With AS/NZS 3112 plug (AU/NZ)</b>        |               |                                        |           |     |           |  |
| Blue Smart IP65 Charger 6V/12V-1.1 + DC connector                                 | BPC120134014R | 36 x 65 x 149                          | ✓         | 0.4 | ZAR 1,040 |  |
| Blue Smart IP65s Charger 12/4 + DC connector                                      | BPC120433014R | 45 x 81 x 182                          | ✓         | 0.8 | ZAR 1,497 |  |
| Blue Smart IP65s Charger 12/5 + DC connector                                      | BPC120533014R | 45 x 81 x 182                          | ✓         | 0.6 | ZAR 1,664 |  |
| Blue Smart IP65 Charger 12/7 + DC connector                                       | BPC120731014R | 47 x 95 x 190                          | ✓         | 0.8 | ZAR 1,967 |  |
| Blue Smart IP65 Charger 12/10 + DC connector                                      | BPC121031014R | 60 x 105 x 190                         | ✓         | 0.9 | ZAR 2,327 |  |
| Blue Smart IP65 Charger 12/15 + DC connector                                      | BPC121531014R | 60 x 105 x 190                         | ✓         | 0.9 | ZAR 2,688 |  |
| Blue Smart IP65 Charger 12/25 + DC connector                                      | BPC122531014  | 75 x 140 x 240                         | ✓         | 1.9 | ZAR 3,762 |  |
| Blue Smart IP65 Charger 24/5 + DC connector                                       | BPC240531014R | 47 x 95 x 190                          | ✓         | 0.8 | ZAR 2,180 |  |
| Blue Smart IP65 Charger 24/8 + DC connector                                       | BPC240831014R | 60 x 105 x 190                         | ✓         | 0.9 | ZAR 2,688 |  |
| Blue Smart IP65 Charger 24/13 + DC connector                                      | BPC241331014  | 75 x 140 x 240                         | ✓         | 1.9 | ZAR 3,762 |  |
| <b>1 output or 3 outputs, fan assisted cooling. With AS/NZS 3112 plug (AU/NZ)</b> |               |                                        |           |     |           |  |
| Blue Smart IP22 Charger 12/15(1)                                                  | BPC121542012  | 235 x 108 x 65                         | ✓         | 1.4 | ZAR 2,490 |  |
| Blue Smart IP22 Charger 12/15(3)                                                  | BPC121544012  | 235 x 108 x 65                         | ✓         | 1.4 | ZAR 2,589 |  |
| Blue Smart IP22 Charger 12/20(1)                                                  | BPC122042012  | 235 x 108 x 65                         | ✓         | 1.4 | ZAR 2,689 |  |
| Blue Smart IP22 Charger 12/20(3)                                                  | BPC122044012  | 235 x 108 x 65                         | ✓         | 1.4 | ZAR 3,030 |  |
| Blue Smart IP22 Charger 12/30 (1)                                                 | BPC123047012  | 235 x 108 x 65                         | ✓         | 1.4 | ZAR 3,229 |  |
| Blue Smart IP22 Charger 12/30 (3)                                                 | BPC123048012  | 235 x 108 x 65                         | ✓         | 1.4 | ZAR 3,642 |  |
| Blue Smart IP22 Charger 24/12(1)                                                  | BPC241242012  | 235 x 108 x 65                         | ✓         | 1.4 | ZAR 2,775 |  |
| Blue Smart IP22 Charger 24/16 (1)                                                 | BPC241647012  | 235 x 108 x 65                         | ✓         | 1.4 | ZAR 3,311 |  |
| Blue Smart IP22 Charger 24/16 (3)                                                 | BPC241648012  | 235 x 108 x 65                         | ✓         | 1.4 | ZAR 3,752 |  |
| <b>1 output, natural convection cooling. With AS/NZS 3112 plug (AU/NZ)</b>        |               |                                        |           |     |           |  |
| Blue Smart IP67 Charger 12/7 (1)                                                  | BPC120713016  | 85 x 211 x 60                          | ✓         | 1.8 | ZAR 1,846 |  |
| Blue Smart IP67 Charger 12/13(1)                                                  | BPC121347016  | 85 x 211 x 60                          | ✓         | 1.8 | ZAR 2,446 |  |
| Blue Smart IP67 Charger 12/17 (1)                                                 | BPC121713016  | 99 x 219 x 65                          | ✓         | 2.4 | ZAR 2,695 |  |
| Blue Smart IP67 Charger 12/25 (1)                                                 | BPC122547016  | 99 x 219 x 65                          | ✓         | 2.4 | ZAR 3,153 |  |
| Blue Smart IP67 Charger 24/5(1)                                                   | BPC240547016  | 85 x 211 x 60                          | ✓         | 2.4 | ZAR 2,063 |  |
| Blue Smart IP67 Charger 24/8(1)                                                   | BPC240847016  | 99 x 219 x 65                          | ✓         | 2.4 | ZAR 2,695 |  |
| Blue Smart IP67 Charger 24/12 (1)                                                 | BPC241247016  | 99 x 219 x 65                          | ✓         | 2.4 | ZAR 3,153 |  |
| <b>1 output, natural convection cooling. With CEE 7/16 plug</b>                   |               |                                        |           |     |           |  |
| Blue Smart IP65s Charger 12/4 + DC connector                                      | BPC120433034R | 45 x 81 x 182                          | ✓         | 0.6 | ZAR 1,497 |  |
| Blue Smart IP65s Charger 12/5 + DC connector                                      | BPC120533034R | 45 x 81 x 182                          | ✓         | 0.6 | ZAR 1,664 |  |
| Blue Smart IP65 Charger 12/7 + DC connector                                       | BPC120731034R | 47 x 95 x 190                          | ✓         | 0.8 | ZAR 1,967 |  |
| Blue Smart IP65 Charger 12/10 + DC connector                                      | BPC121031034R | 60 x 105 x 190                         | ✓         | 0.9 | ZAR 2,327 |  |
| Blue Smart IP65 Charger 12/15 + DC connector                                      | BPC121531034R | 60 x 105 x 190                         | ✓         | 0.9 | ZAR 2,688 |  |
| Blue Smart IP65 Charger 12/25 + DC connector                                      | BPC122531034  | 75 x 140 x 240                         | ✓         | 1.9 | ZAR 3,762 |  |
| Blue Smart IP65 Charger 24/5 + DC connector                                       | BPC240531034R | 47 x 95 x 190                          | ✓         | 0.8 | ZAR 2,180 |  |
| Blue Smart IP65 Charger 24/8 + DC connector                                       | BPC240831034R | 60 x 105 x 190                         | ✓         | 0.9 | ZAR 2,688 |  |
| Blue Smart IP65 Charger 24/13 + DC connector                                      | BPC241331034  | 75 x 140 x 240                         | ✓         | 1.9 | ZAR 3,762 |  |

## CONDITIONS

These recommended prices for end users are a guideline only.  
Prices can vary depending on local conditions

All prices are per unit  
All prices are Ex VAT

## Warranty:

Li-ion batteries: 3 year limited warranty  
Other batteries: 2 year limited warranty  
All other products: 5 year limited warranty  
All other products: 10% surcharge on net price for 5 year warranty extension (10 year warranty)  
Victron does not sell directly to end users, for warranty claims please contact your retailer or installer

## General Conditions:

All our quotations, sales, deliveries and services are subject to our General Conditions of Delivery and Sale which are deposited at the Dutch Chamber of Commerce registration nr 39059013.

## Victron Energy B.V.

De Paal 35, 1351 JG Almere, The Netherlands. Tel: +31 (0)36 535 9700 www.victronenergy.com







# True energy independence. **Powered by know-how.**

At Victron Energy we're as dedicated to making and improving power solutions today as when we started in 1975. Our robust ecosystem of flexible building blocks delivers energy independence for the most demanding applications—from off-grid and energy storage to marine, vehicle, and industrial specialist solutions.

The modular product range includes heavy-duty sine wave inverters, inverter/chargers, battery chargers, DC-DC converters, solar charge controllers, batteries, battery monitors and DC distribution systems. Our world leading VictronConnect app and Victron Remote Management (VRM) portal ensure perfect control, from wherever you are.

Engineered for limitless customisation, our platform powers tailor-made automation workflows, integrating devices, sensors, APIs, and online services.

Thanks to decades of real-world testing and customer feedback, our products have been proven to deliver reliability time and time again, even in the harshest of climates. This makes them unmatched in ruggedness, long-term value and cost of ownership.

Millions of customers worldwide value the reassurance our power solutions deliver, knowing they have our worldwide network of authorised dealers by their side. They know that our family-run business is built on a foundation of trust that has defined Victron Energy for decades.

**Energy. Anytime. Anywhere.**

## **Victron Energy**

Designed in The Netherlands, distributed worldwide.  
sales@victronenergy.com - [www.victronenergy.com](http://www.victronenergy.com)







Energy. Anytime. Anywhere.

[sales@victronenergy.com](mailto:sales@victronenergy.com)  
[www.victronenergy.com](http://www.victronenergy.com)



SAL062100SAR

